

ICP Building Solutions Group

Version No: 1.1

Safety Data Sheet according to OSHA HazCom Standard (2012) requirements

Issue Date: 02/10/2021 Print Date: 02/10/2021 S.GHS.USA.EN

SECTION 1 Identification

Product Identi	fier
----------------	------

Product name	CSS WipeOut Black Stain Blocker
Synonyms	Not Available
Other means of identification	Not Available

Recommended use of the chemical and restrictions on use

Relevant identified uses	Stain Blocker
--------------------------	---------------

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Registered company name	ICP Building Solutions Group	
Address	Dascomb Road Andover MA United States	
Telephone	323-9980	
Fax	Not Available	
Website	www.icpgroup.com	
Email	Not Available	

Emergency phone number

Emergency phone number	
Association / Organisation	CHEMTEL
Emergency telephone numbers	800-255-3924
Other emergency telephone numbers	813-248-0585

SECTION 2 Hazard(s) identification

Classification of the substance or mixture

NFPA 704 diamond



Note: The hazard category numbers found in GHS classification in section 2 of this SDSs are NOT to be used to fill in the NFPA 704 diamond. Blue = Health Red = Fire Yellow = Reactivity White = Special (Oxidizer or water reactive substances)

Classification	Specific target organ toxicity - repeated exposure Category 2, Acute Aquatic Hazard Category 3, Carcinogenicity Category 2, Chronic Aquatic Hazard Category 3

Label elements

Hazard pictogram(s)	

Signal word Warning

Hazard statement(s)

H373	May cause damage to organs through prolonged or repeated exposure.	
H351	Suspected of causing cancer.	
H412	H412 Harmful to aquatic life with long lasting effects.	

Not Applicable

Precautionary statement(s) General

P102 Keep out of reach of children.	P101	If medical advice is needed, have product container or label at hand.	
	P102	Keep out of reach of children.	

Precautionary statement(s) Prevention

P202	Do not handle until all safety precautions have been read and undestood.	
P260	Do not breathe mist/vapours/spray.	
P273	Avoid release to the environment.	

Precautionary statement(s) Response

, , , ,	
P308+P313 IF exposed or concerned: Get medical advice/attention.	
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
P314 Get medical advice/attention if you feel unwell.	

Precautionary statement(s) Storage

P405 Store locked up.

Precautionary statement(s) Disposal

P501

Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

SECTION 3 Composition / information on ingredients

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
14807-96-6	1-5	talc
1314-13-2	1-5	zinc oxide
1333-86-4	<1	carbon black
25265-77-4	<1	2.2.4-trimethyl-1.3-pentanediol monoisobutyrate
7632-00-0	<1	sodium nitrite

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4 First-aid measures

Description of first aid measures

Eye Contact	 If this product comes in contact with eyes: Wash out immediately with water. If irritation continues, seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.
Inhalation	 If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary.
Ingestion	 Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

Most important symptoms and effects, both acute and delayed

See Section 11

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 Fire-fighting measures

Extinguishing media

- Foam.
- Dry chemical powder.

Fire Incompatibility	Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result
Special protective equipment a	and precautions for fire-fighters
Fire Fighting	 Alert Fire Brigade and tell them location and nature of hazard. Wear full body protective clothing with breathing apparatus.
Fire/Explosion Hazard	 Combustible. Slight fire hazard when exposed to heat or flame. Combustion products include: carbon dioxide (CO2) metal oxides other pyrolysis products typical of burning organic material. May emit poisonous fumes. May emit corrosive fumes.

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

Minor Spills	 Remove all ignition sources. Clean up all spills immediately.
Major Spills	Moderate hazard. Clear area of personnel and move upwind.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

Precautions for safe handling	
Safe handling	 Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. DO NOT allow clothing wet with material to stay in contact with skin
Other information	 Store in original containers. Keep containers securely sealed.

Conditions for safe storage, including any incompatibilities

Suitable container	 Metal can or drum Packaging as recommended by manufacturer. Check all containers are clearly labelled and free from leaks.
Storage incompatibility	 Metal nitrites: are incompatible with chlorates, hypophosphites, iodides, mercury salts, permanganates, sulfites, primary amines and amides, secondary amines and amides, ammonium salts, activated carbon, cyanogen compounds, thiocyanates, thiosulfates, cyanides, sodium amide, boron, acetanilide, antipyrine, tannic acid and cellulose react explosively with hydrazine and liquid ammonia . react explosively following fusion with metal cyanides react (often) with salts of nitrogenous bases to produce an unstable corresponding nitrite salt. Avoid reaction with oxidising agents

SECTION 8 Exposure controls / personal protection

Control parameters

Occupational Exposure Limits (OEL)

INGREDIENT DATA							
Source	Ingredient	Material name	TWA	STEL	Peak	Notes	
US NIOSH Recommended Exposure Limits (RELs)	talc	Massive talc, Soapstone silicate, Steatite	6 (total), 3 (resp) mg/m3	Not Available	Not Available	Not Available	
US NIOSH Recommended Exposure Limits (RELs)	talc	Hydrous magnesium silicate, Steatite talc	2 (resp) mg/m3	Not Available	Not Available	Not Available	
US OSHA Permissible Exposure Levels (PELs) - Table Z3	talc	Silicates: Talc	Not Available	Not Available	Not Available	(Name ((less than 1% crystalline silica); (containing asbestos) Use asbestos limit))	

Issue Date: 02/10/2021 Print Date: 02/10/2021

CSS WipeOut Black Stain Blocker

ource	Ingredient	Material name	TWA	STEL	Peak	Notes			
JS OSHA Permissible Exposure Levels (PELs) - Table Z3	talc	Silicates: Talc	20 mppcf	Not Available	Not Available	(Name ((less than 1% crystalline silica); (nc containing asbestos))); (TWA mppcf (((c) Containing less than 1% quartz; if 1% quart more, use quartz limit.)))			
US OSHA Permissible Exposure Levels (PELs) - Table Z3	talc	Silicates: Soapstone	20 mppcf	Not Available	Not Available	(Name ((less than 1% crystalline silica)))			
US OSHA Permissible Exposure Levels (PELs) - Table Z1	talc	Silicates (less than 1% crystalline silica): Talc (containing no asbestos), respirable dust	Not Available	Not Available	Not Available	See Table Z-3			
US OSHA Permissible Exposure Levels (PELs) - Table Z1	talc	Silicates (less than 1% crystalline silica): Talc (containing asbestos); use asbestos limit	Not Available	Not Available	Not Available	see 29 CFR 1910.1001; See Table Z-3			
US ACGIH Threshold Limit Values (TLV)	talc	Talc: Containing no asbestos fibers (Respirable particulate matter)	2 mg/m3	Not Available	Not Available	Pulm fibrosis; pulm func			
US ACGIH Threshold Limit Values (TLV)	talc	Talc: Containing asbestos fibers	Not Available	Not Available	Not Available	Use As	bestos TLV® (K)		
US NIOSH Recommended Exposure Limits (RELs)	zinc oxide	Zinc peroxide	Dust: 5 ,Fume: 5 mg/m3	Fume: 10 mg/m3	Dust: 15 mg/m3	Not Available			
US OSHA Permissible Exposure Levels (PELs) - Table Z1	zinc oxide	Zinc oxide fume	5 mg/m3	Not Available	Not Available	Not Available			
US OSHA Permissible Exposure Levels (PELs) - Table Z1	zinc oxide	Zinc oxide: Respirable fraction	5 mg/m3	Not Available	Not Available	Not Available			
US OSHA Permissible Exposure Levels (PELs) - Table Z1	zinc oxide	Zinc oxide: Total dust	15 mg/m3	Not Available	Not Available	Not Available			
US ACGIH Threshold Limit Values (TLV)	zinc oxide	Zinc oxide (Respirable particulate matter)	2 mg/m3	10 mg/m3	Not Available	Metal fume fever			
US NIOSH Recommended Exposure Limits (RELs)	carbon black	Acetylene black, Channel black, Furnace black, Lamp black, Thermal black	NOT NOT			e Appendix C			
US OSHA Permissible Exposure Levels (PELs) - Table Z1	carbon black	Carbon black	3.5 mg/m3	Not Available	Not Available	Not Ava	ailable		
US ACGIH Threshold Limit Values (TLV)	carbon black	Carbon black (Inhalable particulate matter)	3 mg/m3	Not Available	Not Available	Bronch	itis		
Emergency Limits									
ngredient	Material nam	ie			TEEL-1		TEEL-2	TEEL-3	
zinc oxide	Zinc oxide				10 mg/m3		15 mg/m3	2,500 mg/m3	
carbon black	Carbon black		9 mg/m3		99 mg/m3	590 mg/m3			
2,2,4-trimethyl-1,3-pentanediol monoisobutyrate	Trimethyl-1,3-pentanediol monoisobutyrate, 2,2,4-; (Texanol)				13 mg/m3				
sodium nitrite	Sodium nitrite				6.4 mg/m3	3	71 mg/m3	240 mg/m3	
Ingredient	Original IDL	4		Revi	ised IDLH				
talc	1,000 mg/m3			Not	Available				
zinc oxide	500 mg/m3				Not Available				
carbon black	1,750 mg/m3			Not	Available				
2,2,4-trimethyl-1,3-pentanediol monoisobutyrate	Not Available				Not Available				
	Not Available				Not Available				

Occupational Exposure Banding	

Ingredient	Occupational Exposure Band Rating	Occupational Exposure Band Limit			
sodium nitrite	E	≤ 0.01 mg/m³			
Notes:		exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and the th outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which corresponds to a posure concentrations that are expected to protect worker health.			

Exposure controls

Appropriate engineering controls	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.
Personal protection	

Eye and face protection	 Safety glasses with side shields. Chemical goggles.
Skin protection	See Hand protection below
Hands/feet protection	 Wear chemical protective gloves, e.g. PVC. Wear safety footwear or safety gumboots, e.g. Rubber The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
Body protection	See Other protection below
Other protection	 Overalls. P.V.C apron.

Respiratory protection

Type A Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

- Cartridge respirators should never be used for emergency ingress or in areas of unknown vapour concentrations or oxygen content.
- The wearer must be warned to leave the contaminated area immediately on detecting any odours through the respirator. The odour may indicate that the mask is not functioning properly, that the vapour concentration is too high, or that the mask is not properly fitted. Because of these limitations, only restricted use of cartridge respirators is considered appropriate.
- Cartridge performance is affected by humidity. Cartridges should be changed after 2 hr of continuous use unless it is determined that the humidity is less than 75%, in which case, cartridges can be used for 4 hr. Used cartridges should be discarded daily, regardless of the length of time used

SECTION 9 Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Not Available		
	· · · · ·		
Physical state	Liquid	Relative density (Water = 1)	Not Available
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	Not Available	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Available
Flash point (°C)	Not Available	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Available	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Immiscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

SECTION 10 Stability and reactivity

Reactivity	See section 7
Chemical stability	 Unstable in the presence of incompatible materials. Product is considered stable.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 Toxicological information

Information on toxicological effects

Inhaled The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.

Ingestion	The material has NOT been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence. The lethal oral dose of nitrite has been variously reported as between 0.7 and 6 grams (approximately 10-100 milligrams/kilogram body weight). This may be lower for children (especially newborns), the elderly, and people with certain enzyme deficiencies.
Skin Contact	Skin contact is not thought to have harmful health effects (as classified under EC Directives); the material may still produce health damage following entry through wounds, lesions or abrasions. There is some evidence to suggest that this material can cause inflammation of the skin on contact in some persons. Open cuts, abraded or irritated skin should not be exposed to this material Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.
Eye	Although the liquid is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may produce transient discomfort characterised by tearing or conjunctival redness (as with windburn).
Chronic	There has been concern that this material can cause cancer or mutations, but there is not enough data to make an assessment. Repeated or long-term occupational exposure is likely to produce cumulative health effects involving organs or biochemical systems. Animal testing to see whether nitrites caused cancer proved inconclusive.

CSS WipeOut Black Stain	ΤΟΧΙϹΙΤΥ	IRRITATION
Blocker	Not Available	Not Available
	ΤΟΧΙΟΙΤΥ	IRRITATION
	dermal (rat) LD50: >2000 mg/kg ^[1]	Eye: no adverse effect observed (not irritating) ^[1]
talc	Oral(Rat) LD50; >5000 mg/kg ^[1]	Skin (human): 0.3 mg/3d-l mild
		Skin: no adverse effect observed (not irritating) ^[1]
	ΤΟΧΙΟΙΤΥ	IRRITATION
	dermal (rat) LD50: >2000 mg/kg ^[1]	Eye (rabbit) : 500 mg/24 h - mild
zinc oxide	Oral(Rat) LD50; >5000 mg/kg ^[1]	Eye: no adverse effect observed (not irritating) ^[1]
		Skin (rabbit) : 500 mg/24 h- mild
		Skin: no adverse effect observed (not irritating) ^[1]
	ΤΟΧΙΟΙΤΥ	IRRITATION
carbon black	Dermal (rabbit) LD50: >0.003 mg/kg ^[2]	Eye: no adverse effect observed (not irritating) ^[1]
	Oral(Rat) LD50; >8000 mg/kg ^[1]	Skin: no adverse effect observed (not irritating) ^[1]
	тохісіту	IRRITATION
	dermal (guinea pig) LD50: >19 mg/kg ^[2]	Eye: no adverse effect observed (not irritating) ^[1]
2,2,4-trimethyl-1,3-pentanediol	Oral(Rat) LD50; >3200 mg/kg ^[2]	Eyes - Moderate irritant *
monoisobutyrate		Skin - Slight irritant *
		Skin (rabbit): mild ***
		Skin: no adverse effect observed (not irritating) ^[1]
sodium nitrite	ΤΟΧΙΟΙΤΥ	IRRITATION
	Inhalation(Rat) LC50; 0.006 mg/L4hrs ^[2]	Eye (rabbit): 500 mg/24hr - mild
	Oral(Rat) LD50; =85 mg/kg ^[2]	
Legend:	1. Value obtained from Europe ECHA Registered Substan specified data extracted from RTECS - Register of Toxic E	ces - Acute toxicity 2.* Value obtained from manufacturer's SDS. Unless otherwis iffect of chemical Substances

TALC	Asthma-like symptoms may continue for months or even years after exposure to the material ends. This may be due to a non-allergic condition known as reactive airways dysfunction syndrome (RADS) which can occur after exposure to high levels of highly irritating compound. The overuse of talc in nursing infants has resulted in respiratory damage causing fluid in the lungs and lung inflammation which may lead to death within hours of inhalation. Long-term exposure can also cause a variety of respiratory symptoms. The substance is classified by IARC as Group 3: NOT classifiable as to its carcinogenicity to humans. Evidence of carcinogenicity may be inadequate or limited in animal testing.
CARBON BLACK	Inhalation (rat) TCLo: 50 mg/m3/6h/90D-I Nil reported WARNING: This substance has been classified by the IARC as Group 2B: Possibly Carcinogenic to Humans.
2,2,4-TRIMETHYL- 1,3-PENTANEDIOL MONOISOBUTYRATE	Not a skin sensitiser (guinea pig, Magnusson-Kligman) *** Ames Test: negative *** Micronucleus, mouse: negative *** Not mutagenic *** No effects on fertility or foetal development seen in the rat *** * [SWIFT] ** [Eastman] *** [Perstop]
SODIUM NITRITE	Tumorigenic - Carcinogenic by RTECS criteria. Laboratory (in vitro) and animal studies show, exposure to the material may result in a possible risk of irreversible effects, with the possibility of producing mutation.
TALC & CARBON BLACK	No significant acute toxicological data identified in literature search.

ZINC OXIDE & 2,2,4- TRIMETHYL- 1,3-PENTANEDIOL MONOISOBUTYRATE	The material may cause skin irritation after prolonger vesicles, scaling and thickening of the skin.	d or repeated exposure and may proc	duce on contact skin redness, swelling, the production of		
2,2,4-TRIMETHYL- 1,3-PENTANEDIOL MONOISOBUTYRATE & SODIUM NITRITE	The material may be irritating to the eye, with prolon conjunctivitis.	ged contact causing inflammation. Re	epeated or prolonged exposure to irritants may produce		
Acute Toxicity	×	Carcinogenicity	✓		
Skin Irritation/Corrosion	X Reproductivity X				
Serious Eye Damage/Irritation	X STOT - Single Exposure X				
Respiratory or Skin sensitisation	×	STOT - Repeated Exposure	*		
Mutagenicity	×	Aspiration Hazard	×		
		Legend: 🗙 – Data eithe	r not available or does not fill the criteria for classification		

Data available to make classification

SECTION 12 Ecological information

Toxicity

CSS WipeOut Black Stain	Endpoint	Test Duration (hr)		Species		Value	Source
Blocker	Not Available	Not Available		Not Available		Not Available	Not Availabl
	Endpoint	Test Duration (hr)	5	Species Value		Value	Sourc
	LC50	96	F	Fish		89581.016mg/L	2
talc	EC50	96	1	Algae or other aquatic plants 7202		7202.7mg/L	2
	NOEC	720	1	Algae or other aquatic plants		918.089mg/L	2
	Endpoint	Test Duration (hr)	Sj	pecies	v	alue	Sourc
	LC50	96	Fi	sh	0	.112mg/L	2
	EC50	48	Cı	rustacea	0	105mg/L	2
zinc oxide	EC50	72	AI	gae or other aquatic plants	-().036-0.049mg/L	4
	BCF	336	Fi	sh	4	376.673-mg/L	4
	NOEC	72	AI	gae or other aquatic plants	0	.00008138mg/L	2
	Endpoint	Test Duration (hr)	Spe	ecies	Valu	ie	Sourc
	LC50	96	Fisl	Fish >100mg/L		0mg/L	2
	EC50	48	Cru	Crustacea -33.076-41		076-41.968mg/L	4
carbon black	EC50	72	Alg	Algae or other aquatic plants >0.2mg/L		?mg/L	2
	EC10	72	Algae or other aquatic plants >10000m		000mg/L	2	
	NOEC	24	Not	Available	0.05	img/L	4
	Endpoint	Test Duration (hr)		Species		Value	Sourc
	LC50	96		Fish		>19mg/L	2
2,4-trimethyl-1,3-pentanediol monoisobutyrate	EC50	48 Crustacea			>19mg/L	2	
······,···	EC50	72		Algae or other aquatic plants		8.1mg/L	2
	NOEC	72		Algae or other aquatic plants		2mg/L	2
	Endpoint	Test Duration (hr)	S	pecies		Value	Sourc
sodium nitrite	LC50	96	F	ïsh		0.00016-mg/L	4
	EC50	48	С	rustacea		ca.12.5100mg/L	1
	EC50	72	A	lgae or other aquatic plants		>100mg/L	2
	NOEC	96	F	ïsh		0.02mg/L	4

Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Do NOT allow product to come in contact with surface waters or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment wash-waters.

For Nitrate/Nitrite

Environmental Fate: Nitrates form from nitrate or ammonium ions by micro-organisms in soil, water, sewage and the digestive tract. The concern with nitrate in the environment is related to its conversion to nitrite.

DO NOT discharge into sewer or waterways.

Ingredient	Persistence: Water/Soil Persistence: Air	
2,2,4-trimethyl-1,3-pentanediol monoisobutyrate	LOW	LOW
sodium nitrite	LOW	LOW

Bioaccumulative potential

Bioaccumulation		
LOW (BCF = 217)		
LOW (LogKOW = 2.9966)		
LOW (LogKOW = 0.0564)		
Mobility		
LOW (KOC = 22.28)		
LOW (KOC = 23.74)		

SECTION 13 Disposal considerations

Waste treatment methods Product / Packaging disposal Containers may still present a chemical hazard/ danger when empty. Return to supplier for reuse/ recycling if possible. Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. DO NOT allow wash water from cleaning or process equipment to enter drains. It may be necessary to collect all wash water for treatment before disposal. Recycle wherever possible or consult manufacturer for recycling options. Consult State Land Waste Authority for disposal.

SECTION 14 Transport information

Labels Required	
Marine Pollutant	NO

Land transport (DOT): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
talc	Not Available
zinc oxide	Not Available
carbon black	Not Available
2,2,4-trimethyl-1,3-pentanediol monoisobutyrate	Not Available
sodium nitrite	Not Available

Transport in bulk in accordance with the ICG Code

Product name	Ship Type
talc	Not Available
zinc oxide	Not Available
carbon black	Not Available
2,2,4-trimethyl-1,3-pentanediol monoisobutyrate	Not Available
sodium nitrite	Not Available

SECTION 15 Regulatory information

Safety, health and environmental regulations / legislation specific for the substance or mixture

talc is found on the following regulatory lists

Chemical Footprint Project - Chemicals of High Concern List International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs - Group 2B: Possibly carcinogenic to humans
US ACGIH Threshold Limit Values (TLV)
US ACGIH Threshold Limit Values (TLV) - Carcinogens
US AIHA Workplace Environmental Exposure Levels (WEELs)
US NIOSH Recommended Exposure Limits (RELs)
US OSHA Permissible Exposure Levels (PELs) - Table Z1
US OSHA Permissible Exposure Levels (PELs) - Table Z3
US OSHA Permissible Exposure Limits - Annotated Table Z-1
US OSHA Permissible Exposure Limits - Annotated Table Z-3
US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory
US TSCA Chemical Substance Inventory - Interim List of Active Substances
zinc oxide is found on the following regulatory lists
US ACGIH Threshold Limit Values (TLV)
US AIHA Workplace Environmental Exposure Levels (WEELs)
US CWA (Clean Water Act) - Priority Pollutants
US CWA (Clean Water Act) - Toxic Pollutants
US DOE Temporary Emergency Exposure Limits (TEELs)
US EPA Integrated Risk Information System (IRIS)
US EPCRA Section 313 Chemical List
US NIOSH Recommended Exposure Limits (RELs)
US OSHA Permissible Exposure Levels (PELs) - Table Z1
US OSHA Permissible Exposure Limits - Annotated Table Z-1
US OSHA Permissible Exposure Limits - Annotated Table Z-3
US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory
US TSCA Chemical Substance Inventory - Interim List of Active Substances
carbon black is found on the following regulatory lists
Chemical Footprint Project - Chemicals of High Concern List
International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs
International Agency for Research on Cancer (IARC) - Agents classified by the IARC Monographs - Group 2B: Possibly carcinogenic to humans
International WHO List of Proposed Occupational Exposure Limit (OEL) Values for Manufactured Nanomaterials (MNMS)
US - California Proposition 65 - Carcinogens
US - California Safe Drinking Water and Toxic Enforcement Act of 1986 - Proposition 65 List
US ACGIH Threshold Limit Values (TLV)
US ACGIH Threshold Limit Values (TLV) - Carcinogens
US AIHA Workplace Environmental Exposure Levels (WEELs)
US DOE Temporary Emergency Exposure Limits (TEELs)
US NIOSH Recommended Exposure Limits (RELs)
US OSHA Permissible Exposure Levels (PELs) - Table Z1
US OSHA Permissible Exposure Limits - Annotated Table Z-1
US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory
US TSCA Chemical Substance Inventory - Interim List of Active Substances
2,2,4-trimethyl-1,3-pentanediol monoisobutyrate is found on the following regulatory lists
US DOE Temporary Emergency Exposure Limits (TEELs) US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory
US TSCA Chemical Substance Inventory - Interim List of Active Substances
sodium nitrite is found on the following regulatory lists
International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs
International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs - Group 2A: Probably carcinogenic to humans
US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs)
US CWA (Clean Water Act) - List of Hazardous Substances
US DOE Temporary Emergency Exposure Limits (TEELs)
US EPA Integrated Risk Information System (IRIS)
US EPCRA Section 313 Chemical List
US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory
US TSCA Chemical Substance Inventory - Interim List of Active Substances
US TSCA Section 12(b) - List of Chemical Substances Subject to Export Notification Requirements US TSCA Section 5(a)(2) - Significant New Use Rules (SNURs)
ou roun occion dance - digninicant new use naies (divons)

Federal Regulations

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Section 311/312 hazard categories

Flammable (Gases, Aerosols, Liquids, or Solids)	No
Gas under pressure	No
Explosive	No
Self-heating	No
Pyrophoric (Liquid or Solid)	No
Pyrophoric Gas	No
Corrosive to metal	No
Oxidizer (Liquid, Solid or Gas)	No
Organic Peroxide	No

Self-reactive	No
In contact with water emits flammable gas	No
Combustible Dust	No
Carcinogenicity	Yes
Acute toxicity (any route of exposure)	No
Reproductive toxicity	No
Skin Corrosion or Irritation	No
Respiratory or Skin Sensitization	No
Serious eye damage or eye irritation	No
Specific target organ toxicity (single or repeated exposure)	Yes
Aspiration Hazard	No
Germ cell mutagenicity	No
Simple Asphyxiant	No
Hazards Not Otherwise Classified	No

Name Reportable Quantity in Pounds (lb) Reportable Quantity in kg Sodium nitrite 100 45.4

State Regulations

US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm

US - California Proposition 65 - Carcinogens: Listed substance

Carbon black (airborne, unbound particles of respirable size), Carbon-black extracts Listed

National Inventory Status

National Inventory	Status	
Australia - AIIC / Australia Non-Industrial Use	Yes	
Canada - DSL	Yes	
Canada - NDSL	No (talc; carbon black; 2,2,4-trimethyl-1,3-pentanediol monoisobutyrate; sodium nitrite)	
China - IECSC	Yes	
Europe - EINEC / ELINCS / NLP	Yes	
Japan - ENCS	Yes	
Korea - KECI	Yes	
New Zealand - NZIoC	Yes	
Philippines - PICCS	Yes	
USA - TSCA	Yes	
Taiwan - TCSI	Yes	
Mexico - INSQ	Yes	
Vietnam - NCI	Yes	
Russia - ARIPS	Yes	
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)	

SECTION 16 Other information

Revision Date	02/10/2021
Initial Date	02/11/2021

CONTACT POINT

PLEASE NOTE THAT TITANIUM DIOXIDE IS NOT PRESENT IN CLEAR OR NEUTRAL BASES

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings.

Definitions and abbreviations

PC-TWA: Permissible Concentration-Time Weighted Average

PC-STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit。

IDLH: Immediately Dangerous to Life or Health Concentrations OSF: Odour Safety Factor NOAEL :No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level TLV: Threshold Limit Value LOD: Limit Of Detection OTV: Odour Threshold Value BCF: BioConcentration Factors BEI: Biological Exposure Index

Powered by AuthorITe, from Chemwatch.