

# Line Paint Yellow - 6040 ICP Group Australasia Pty Ltd

Version No: 2.3

Safety Data Sheet according to WHS Regulations (Hazardous Chemicals) Amendment 2020 and ADG requirements

Issue Date: 10/20/2022 Print Date: 10/20/2022 S.GHS.AUS.EN

### SECTION 1 Identification of the substance / mixture and of the company / undertaking

### **Product Identifier**

Product name	Line Paint Yellow - 6040
Synonyms	Not Available
Other means of identification	Not Available

### Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Line Paint

### Details of the manufacturer or supplier of the safety data sheet

Registered company name	ICP Group Australasia Pty Ltd	ICP Construction Inc.
Address	30-32 Assembly Drive Tullamarine, VIC 3043 Australia	150 Dascomb Road Andover, MA 01810 United States
Telephone	61 3 9338 9851	1-866-667-5119 1-978-623-9987
Fax	Not Available	Not Available
Website	www.icpgroup.com	www.icpgroup.com
Email	sales-australia@icpgroup.com	sds@icpgroup.com

### Emergency telephone number

Association / Orga	nisation	ChemTel	ChemTel
Emergency te	lephone umbers	1300-954-583	1-800-255-3924
Other emergency te	lephone numbers	Not Available	1-813-248-0585

### **SECTION 2 Hazards identification**

### Classification of the substance or mixture

Poisons Schedule	Not Applicable
Classification [1]	Specific Target Organ Toxicity - Repeated Exposure Category 2, Carcinogenicity Category 1A
Legend:	1. Classified by Chemwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI

### Label elements

Hazard pictogram(s)



Signal word

Dange

### Hazard statement(s)

H373	May cause damage to organs through prolonged or repeated exposure.
H350	May cause cancer.

### Precautionary statement(s) General

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.

Version No: 2.3 Page 2 of 9 Issue Date: 10/20/2022 Print Date: 10/20/2022

### Line Paint Yellow - 6040

Precautionary statement(s) Prevention

P260	Do not breathe mist/vapours/spray.
P280	Wear protective gloves and protective clothing.
P270	Do not eat, drink or smoke when using this product.
P202	Do not handle until all safety precautions have been read and understood.
P264	Wash all exposed external body areas thoroughly after handling.
P272	Contaminated work clothing must not be allowed out of the workplace.

#### Precautionary statement(s) Response

	·
P308+P313	IF exposed or concerned: Get medical advice/ attention.
P314	Get medical advice/attention if you feel unwell.

### Precautionary statement(s) Storage

P405 Store locked up.

### Precautionary statement(s) Disposal

Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

### **SECTION 3 Composition / information on ingredients**

#### Substances

See section below for composition of Mixtures

### Mixtures

CAS No	%[weight]	Name
12001-26-2	1-5	mica
13463-67-7*	5-10	titanium dioxide
107-21-1	1-5	ethylene glycol
55406-53-6	0.1-1	3-iodo-2-propynyl butyl carbamate
14464-46-1	0.1-1	cristobalite
Legend:	Classified by Chemwatch; 2. Classific Classification drawn from C&L * EU IOE	ation drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI; 4. ELVs available

### **SECTION 4 First aid measures**

### Description of first aid measures

Eye Contact	If this product comes in contact with eyes:  • Wash out immediately with water.  • If irritation continues, seek medical attention.  • Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin contact occurs:  Immediately remove all contaminated clothing, including footwear.  Flush skin and hair with running water (and soap if available).  Seek medical attention in event of irritation.
Inhalation	<ul> <li>If fumes, aerosols or combustion products are inhaled remove from contaminated area.</li> <li>Other measures are usually unnecessary.</li> </ul>
Ingestion	<ul> <li>Immediately give a glass of water.</li> <li>First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.</li> </ul>

#### Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5 Firefighting measures**

### Extinguishing media

- Foam.
- Dry chemical powder.

#### Special hazards arising from the substrate or mixture

Fire Incompatibility Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result

### Advice for firefighters

Alert Fire Brigade and tell them location and nature of hazard. Fire Fighting Wear full body protective clothing with breathing apparatus.

Version No: 2.3 Page 3 of 9 Issue Date: 10/20/2022 Print Date: 10/20/2022

### Line Paint Yellow - 6040

► Combustible. ▶ Slight fire hazard when exposed to heat or flame. Combustion products include: carbon dioxide (CO2) Fire/Explosion Hazard hydrogen iodide other pyrolysis products typical of burning organic material. May emit poisonous fumes. May emit corrosive fumes. **HAZCHEM** Not Applicable

### **SECTION 6 Accidental release measures**

#### Personal precautions, protective equipment and emergency procedures

See section 8

#### **Environmental precautions**

See section 12

### Methods and material for containment and cleaning up

Minor Spills	Remove all ignition sources.     Clean up all spills immediately.
Major Spills	Moderate hazard.  • Clear area of personnel and move upwind.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

### **SECTION 7 Handling and storage**

Precautions for safe handling	
Safe handling	Avoid all personal contact, including inhalation.      Wear protective clothing when risk of exposure occurs.      DO NOT allow clothing wet with material to stay in contact with skin
Other information	Store in the dark.  F Store in original containers.  F Keep containers securely sealed.

### Conditions for safe storage, including any incompatibilities

Suitable container	Metal can or drum     Packaging as recommended by manufacturer.     Check all containers are clearly labelled and free from leaks.
Storage incompatibility	► Avoid reaction with oxidising agents

### SECTION 8 Exposure controls / personal protection

### **Control parameters**

### Occupational Exposure Limits (OEL)

### INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
Australia Exposure Standards	mica	Mica	2.5 mg/m3	Not Available	Not Available	Not Available
Australia Exposure Standards	titanium dioxide	Titanium dioxide	10 mg/m3	Not Available	Not Available	(a) This value is for inhalable dust containing no asbestos and < 1% crystalline silica.
Australia Exposure Standards	ethylene glycol	Ethylene glycol (particulate)	10 mg/m3	Not Available	Not Available	Not Available
Australia Exposure Standards	ethylene glycol	Ethylene glycol (vapour)	20 ppm / 52 mg/m3	104 mg/m3 / 40 ppm	Not Available	Not Available
Australia Exposure Standards	cristobalite	Silica - Crystalline: Cristobalite (respirable dust)	0.05 mg/m3	Not Available	Not Available	Not Available

### Emergency Limits

Ingredient	TEEL-1	TEEL-2	TEEL-3
mica	9 mg/m3	99 mg/m3	590 mg/m3
titanium dioxide	30 mg/m3	330 mg/m3	2,000 mg/m3
ethylene glycol	30 ppm	150 ppm	900 ppm

Version No: 2.3 Page 4 of 9 Issue Date: 10/20/2022 Print Date: 10/20/2022

#### Line Paint Yellow - 6040

Ingredient	TEEL-1	TEEL-2		TEEL-3
3-iodo-2-propynyl butyl carbamate	3.3 mg/m3	36 mg/m3		220 mg/m3
cristobalite	0.075 mg/m3	33 mg/m3		200 mg/m3
Ingredient	Original IDLH		Revised IDLH	
mica	1,500 mg/m3		Not Available	
titanium dioxide	5,000 mg/m3		Not Available	
ethylene glycol	Not Available		Not Available	
3-iodo-2-propynyl butyl carbamate	Not Available		Not Available	
cristobalite	Not Available		Not Available	

#### Occupational Exposure Banding

Ingredient	Occupational Exposure Band Rating	Occupational Exposure Band Limit	
3-iodo-2-propynyl butyl carbamate	E	≤ 0.01 mg/m³	
Notes:	Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and the adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which corresponds to a range of exposure concentrations that are expected to protect worker health.		

### **Exposure controls**

posure controls	
Appropriate engineering controls	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls cabe highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.
Personal protection	
Eye and face protection	Safety glasses with side shields.     Chemical goggles.
Skin protection	See Hand protection below
Hands/feet protection	Wear chemical protective gloves, e.g. PVC. Wear safety footwear or safety gumboots, e.g. Rubber NOTE: The material may produce skin sensitisation in predisposed individuals. Care must be taken, when removing gloves and other protective equipment, to avoid all possible skin contact. The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
Body protection	See Other protection below
Other protection	Overalls.     P.V.C apron.

#### Respiratory protection

Type A Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

- Cartridge respirators should never be used for emergency ingress or in areas of unknown vapour concentrations or oxygen content.
- The wearer must be warned to leave the contaminated area immediately on detecting any odours through the respirator. The odour may indicate that the mask is not functioning properly, that the vapour concentration is too high, or that the mask is not properly fitted. Because of these limitations, only restricted use of cartridge respirators is considered appropriate.
- Cartridge performance is affected by humidity. Cartridges should be changed after 2 hr of continuous use unless it is determined that the humidity is less than 75%, in which case, cartridges can be used for 4 hr. Used cartridges should be discarded daily, regardless of the length of time used

### **SECTION 9 Physical and chemical properties**

#### Information on basic physical and chemical properties Light sensitive. **Appearance** Physical state Liquid Relative density (Water = 1) Not Available Partition coefficient n-octanol Not Available Not Available Odour / water **Odour threshold** Not Available Auto-ignition temperature (°C) Not Available Decomposition pH (as supplied) Not Available Not Available temperature (°C) Melting point / freezing point Not Available Viscosity (cSt) Not Available

Version No: 2.3 Page 5 of 9 Issue Date: 10/20/2022 Print Date: 10/20/2022

### Line Paint Yellow - 6040

Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Available
Flash point (°C)	>130	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Immiscible	pH as a solution (Not Available%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	98.91

### **SECTION 10 Stability and reactivity**

Reactivity	See section 7
Chemical stability	<ul> <li>Unstable in the presence of incompatible materials.</li> <li>Product is considered stable.</li> </ul>
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

### **SECTION 11 Toxicological information**

Information	on	toxicologic	al effects

Information on toxicological ef	fects				
Inhaled	The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.				
Ingestion	The material has <b>NOT</b> been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence.				
Skin Contact	Skin contact is not thought to have harmful health effects (as classified under EC Directives); the material may still produce health damage following entry through wounds, lesions or abrasions.  There is some evidence to suggest that this material can cause inflammation of the skin on contact in some persons.  Open cuts, abraded or irritated skin should not be exposed to this material  Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.				
Еуе	Although the liquid is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may produce transient discomfort characterised by tearing or conjunctival redness (as with windburn).				
Chronic	Studies show that inhaling this substance for over a long period (e.g. in an occupational setting) may increase the risk of cancer. Skin contact with the material is more likely to cause a sensitisation reaction in some persons compared to the general population. Toxic: danger of serious damage to health by prolonged exposure through inhalation, in contact with skin and if swallowed. This material can cause serious damage if one is exposed to it for long periods. It can be assumed that it contains a substance which can produce severe defects.				
	TOXICITY	IRRITATION			
Line Paint Yellow - 6040	Not Available	Not Available			

Line Below Wellers 2040	TOXICITY	IRRITATION
Line Paint Yellow - 6040	Not Available	Not Available
	TOXICITY	IRRITATION
mica	Not Available	Not Available
	TOXICITY	IRRITATION
	Inhalation (Rat)TCLo: 0.04 mg/kg <sup>[2]</sup>	Eye: no adverse effect observed (not irritating)[1]
	Oral (Mouse)LD50; >10000 mg/kg * <sup>[2]</sup>	Skin (human): 0.3 mg /3D (int)-mild *
titanium dioxide	Oral (Mouse)TDLo: 0.0032 mg/kg <sup>[2]</sup>	Skin: no adverse effect observed (not irritating) <sup>[1]</sup>
	Oral (Rat)LD50; >20000 mg/kg *[2]	
	Oral (Rat)TDLo: 60000 mg/kg <sup>[2]</sup>	

Version No: 2.3 Page 6 of 9 Issue Date: 10/20/2022 Print Date: 10/20/2022

### Line Paint Yellow - 6040

	TOXICITY	IRRITATION	
ethylene glycol	dermal (mouse) LD50: >3500 mg/kg <sup>[1]</sup>		00 mg/1h - mild
	Oral (Rat) LD50; >2000 mg/kg <sup>[2]</sup>	Eye (rabbit): 1	
	Oral (Nat) ED30, >2000 Highligh		440mg/6h-moderate
			00 mg/24h - mild
			se effect observed (not irritating) <sup>[1]</sup>
		•	i55 mg(open)-mild
			se effect observed (not irritating) <sup>[1]</sup>
	тохісіту	IRRITATION	
	Dermal (rabbit) LD50: >2000 mg/kg <sup>[1]</sup>	Eye: adverse	effect observed (irreversible damage) <sup>[1]</sup>
3-iodo-2-propynyl butyl carbamate	Inhalation(Rat) LC50; 0.63 mg/l4h <sup>[1]</sup>	Eye: Irritating	
Carbaniate	Oral (Rat) LD50; 1056 mg/kg <sup>[1]</sup>	Skin: no adver	se effect observed (not irritating) <sup>[1]</sup>
		Skin: Slight irri	tant
	тохісіту	IRRITATION	
cristobalite	Not Available	Not Available	
Legend:	Value obtained from Europe ECHA Registered Substances - A specified data extracted from RTECS - Register of Toxic Effect of		tained from manufacturer's SDS. Unless otherwise
	* IUCLID		
titanium dioxide	* IUCLID Laboratory (in vitro) and animal studies show, exposure to the maproducing mutation. Exposure to titanium dioxide is via inhalation, swallowing or skin of dysfunction of the lungs and immune system. The material may produce moderate eye irritation leading to inflat conjunctivitis. The material may cause skin irritation after prolonged or repeated vesicles, scaling and thickening of the skin.	contact. When inhaled, it	may deposit in lung tissue and lymph nodes causing rolonged exposure to irritants may produce
titanium dioxide	Laboratory (in vitro) and animal studies show, exposure to the maproducing mutation.  Exposure to titanium dioxide is via inhalation, swallowing or skin of dysfunction of the lungs and immune system.  The material may produce moderate eye irritation leading to inflat conjunctivitis.  The material may cause skin irritation after prolonged or repeated	contact. When inhaled, it mmation. Repeated or produced exposure and may produced to the contact of the contact	may deposit in lung tissue and lymph nodes causing rolonged exposure to irritants may produce duce on contact skin redness, swelling, the production of
titanium dioxide	Laboratory (in vitro) and animal studies show, exposure to the maproducing mutation.  Exposure to titanium dioxide is via inhalation, swallowing or skin of dysfunction of the lungs and immune system.  The material may produce moderate eye irritation leading to inflat conjunctivitis.  The material may cause skin irritation after prolonged or repeated vesicles, scaling and thickening of the skin.	contact. When inhaled, it mmation. Repeated or pro- d exposure and may pro- Group 2B: Possibly Carci of Substance is reproduc	may deposit in lung tissue and lymph nodes causing rolonged exposure to irritants may produce duce on contact skin redness, swelling, the production of nogenic to Humans.
	Laboratory (in vitro) and animal studies show, exposure to the maproducing mutation.  Exposure to titanium dioxide is via inhalation, swallowing or skin of dysfunction of the lungs and immune system.  The material may produce moderate eye irritation leading to inflat conjunctivitis.  The material may cause skin irritation after prolonged or repeated vesicles, scaling and thickening of the skin.  WARNING: This substance has been classified by the IARC as Compared to the stimulation of the skin irritation after prolonged or repeated vesicles, scaling and thickening of the skin.	contact. When inhaled, it mmation. Repeated or product the product of the product	may deposit in lung tissue and lymph nodes causing rolonged exposure to irritants may produce duce on contact skin redness, swelling, the production of nogenic to Humans.  tive effector in rats (birth defects). Mutagenic to rat cells.  Limited information suggests that it is also absorbed higher dose to produce toxicity or mortality.
ETHYLENE GLYCOL  3-IODO-2-PROPYNYL BUTYL	Laboratory (in vitro) and animal studies show, exposure to the maproducing mutation.  Exposure to titanium dioxide is via inhalation, swallowing or skin of dysfunction of the lungs and immune system.  The material may produce moderate eye irritation leading to inflat conjunctivitis.  The material may cause skin irritation after prolonged or repeated vesicles, scaling and thickening of the skin.  WARNING: This substance has been classified by the IARC as Compared to the scale of the skin of the	contact. When inhaled, it mmation. Repeated or product the exposure and may product the gastrointestinal tract. It is pesticides. It requires the experimental tract. It is pesticides. It requires the experimental tract. It is pesticides and the experimental tract. It is pesticides and the experimental tract. It is pesticides and the experimental tract. It is pesticided by the IAF is satisfied occupational expect considered sufficient of the experimental expect considered sufficient of the experimental expect of the expect of the experimental expect of the experimental experimental expect of the experimental expect of the experimental expect of the experimental expect of the experimental experime	may deposit in lung tissue and lymph nodes causing rolonged exposure to irritants may produce duce on contact skin redness, swelling, the production of nogenic to Humans.  tive effector in rats (birth defects). Mutagenic to rat cells.  Limited information suggests that it is also absorbed higher dose to produce toxicity or mortality.  ing showed that extended exposure may cause  RC as Group 1: CARCINOGENIC TO HUMANS osures to respirable (<5 um) crystalline silica as being
ETHYLENE GLYCOL  3-IODO-2-PROPYNYL BUTYL CARBAMATE	Laboratory (in vitro) and animal studies show, exposure to the maproducing mutation.  Exposure to titanium dioxide is via inhalation, swallowing or skin of dysfunction of the lungs and immune system.  The material may produce moderate eye irritation leading to inflat conjunctivitis.  The material may cause skin irritation after prolonged or repeated vesicles, scaling and thickening of the skin.  WARNING: This substance has been classified by the IARC as C [Estimated Lethal Dose (human) 100 ml; RTECS quoted by Orica For ethylene glycol:  Ethylene glycol is quickly and extensively absorbed throughout the through the airways; absorption through skin is apparently slow.  Carbamate pesticides are less dangerous than organophosphoru For 3-iodo-2-propynyl butyl carbamate (IPBC):  Acute toxicity studies with IPBC show low toxicity except severe decreased weight gain and increased red cell and eosinophil cou Inhalation (human) TCLo: 16 mppcf*/8H/17.9y-I * Millions of particular to the properside of the substance has be the International Agency for Research on Cancer (IARC) has classification is based on what IAF	contact. When inhaled, it mmation. Repeated or product the exposure and may product the exposure and may product the gastrointestinal tract. It is pesticides. It requires the experimental	rolonged exposure to irritants may produce duce on contact skin redness, swelling, the production of mogenic to Humans.  tive effector in rats (birth defects). Mutagenic to rat cells.  Limited information suggests that it is also absorbed higher dose to produce toxicity or mortality.  ing showed that extended exposure may cause  RC as Group 1: CARCINOGENIC TO HUMANS  osures to respirable (<5 um) crystalline silica as being evidence from epidemiological studies of humans for
ETHYLENE GLYCOL  3-IODO-2-PROPYNYL BUTYL CARBAMATE  CRISTOBALITE  Line Paint Yellow - 6040 & 3-IODO-2-PROPYNYL BUTYL	Laboratory (in vitro) and animal studies show, exposure to the maproducing mutation.  Exposure to titanium dioxide is via inhalation, swallowing or skin of dysfunction of the lungs and immune system.  The material may produce moderate eye irritation leading to inflat conjunctivitis.  The material may cause skin irritation after prolonged or repeated vesicles, scaling and thickening of the skin.  WARNING: This substance has been classified by the IARC as Compared to the scale of the skin.  WARNING: This substance has been classified by the IARC as Compared to the scale of the skin.  Warning: This substance has been classified by the IARC as Compared to the scale of the skin.  Warning: This substance has been classified by the IARC as Compared to the scale of the	contact. When inhaled, it mmation. Repeated or product the product of the product	may deposit in lung tissue and lymph nodes causing rolonged exposure to irritants may produce duce on contact skin redness, swelling, the production of nogenic to Humans.  tive effector in rats (birth defects). Mutagenic to rat cells. Limited information suggests that it is also absorbed higher dose to produce toxicity or mortality.  ting showed that extended exposure may cause  RC as Group 1: CARCINOGENIC TO HUMANS  cosures to respirable (<5 um) crystalline silica as being evidence from epidemiological studies of humans for this product.  To this product.  To Quincke's oedema.
ETHYLENE GLYCOL  3-IODO-2-PROPYNYL BUTYL CARBAMATE  CRISTOBALITE  Line Paint Yellow - 6040 & 3-IODO-2-PROPYNYL BUTYL CARBAMATE	Laboratory (in vitro) and animal studies show, exposure to the maproducing mutation.  Exposure to titanium dioxide is via inhalation, swallowing or skin of dysfunction of the lungs and immune system.  The material may produce moderate eye irritation leading to inflat conjunctivitis.  The material may cause skin irritation after prolonged or repeated vesicles, scaling and thickening of the skin.  WARNING: This substance has been classified by the IARC as Compared to the scale of the skin.  WARNING: This substance has been classified by the IARC as Compared to the scale of the skin.  Warning: This substance has been classified by the IARC as Compared to the scale of the skin.  Warning: This substance has been classified by the IARC as Compared to the scale of the	contact. When inhaled, it mmation. Repeated or product the product of the product	may deposit in lung tissue and lymph nodes causing rolonged exposure to irritants may produce duce on contact skin redness, swelling, the production of nogenic to Humans.  tive effector in rats (birth defects). Mutagenic to rat cells. Limited information suggests that it is also absorbed higher dose to produce toxicity or mortality.  ting showed that extended exposure may cause  RC as Group 1: CARCINOGENIC TO HUMANS  cosures to respirable (<5 um) crystalline silica as being evidence from epidemiological studies of humans for this product.  To this product.  To Quincke's oedema.
ETHYLENE GLYCOL  3-IODO-2-PROPYNYL BUTYL CARBAMATE  CRISTOBALITE  Line Paint Yellow - 6040 & 3-IODO-2-PROPYNYL BUTYL CARBAMATE  MICA & titanium dioxide	Laboratory (in vitro) and animal studies show, exposure to the maproducing mutation.  Exposure to titanium dioxide is via inhalation, swallowing or skin of dysfunction of the lungs and immune system.  The material may produce moderate eye irritation leading to inflat conjunctivitis.  The material may cause skin irritation after prolonged or repeated vesicles, scaling and thickening of the skin.  WARNING: This substance has been classified by the IARC as Compared to the scale of the skin.  WARNING: This substance has been classified by the IARC as Compared to the scale of the skin.  Warning: This substance has been classified by the IARC as Compared to the scale of the skin.  Warning: This substance has been classified by the IARC as Compared to the scale of the skin.  Warning: This substance has been classified by the IARC as Compared to the scale of the skin.  Carbamate pesticides (squickly and extensively absorbed throughout the through the airways; absorption through skin is apparently slow.  Carbamate pesticides are less dangerous than organophosphorus for 3-iodo-2-propynyl butyl carbamate (IPBC):  Acute toxicity studies with IPBC show low toxicity except severed decreased weight gain and increased red cell and eosinophil could inhalation (human) TCLo: 16 mppcf*/8H/17.9y-I * Millions of particular to the substance has been classification in the substance has been carcinogenic to humans. This classification is based on what IAR the carcinogenic to humans. This classification is based on what IAR the carcinogenicity of inhaled silica in the forms of quartz and crist the following information refers to contact allergens as a group a Contact allergies quickly manifest themselves as contact eczemal known as reactive airways dysfunction syndrome (RADS) which osignificant acute toxicological data identified in literature search.	contact. When inhaled, it mmation. Repeated or product the product of the product	rolonged exposure to irritants may produce duce on contact skin redness, swelling, the production of nogenic to Humans.  tive effector in rats (birth defects). Mutagenic to rat cells.  Limited information suggests that it is also absorbed higher dose to produce toxicity or mortality.  ing showed that extended exposure may cause  RC as Group 1: CARCINOGENIC TO HUMANS  osures to respirable (<5 um) crystalline silica as being evidence from epidemiological studies of humans for this product.  To this product.  To Quincke's oedema.
ETHYLENE GLYCOL  3-IODO-2-PROPYNYL BUTYL CARBAMATE  CRISTOBALITE  Line Paint Yellow - 6040 & 3-IODO-2-PROPYNYL BUTYL CARBAMATE  MICA & titanium dioxide  Acute Toxicity	Laboratory (in vitro) and animal studies show, exposure to the maproducing mutation.  Exposure to titanium dioxide is via inhalation, swallowing or skin of dysfunction of the lungs and immune system.  The material may produce moderate eye irritation leading to inflat conjunctivitis.  The material may cause skin irritation after prolonged or repeated vesicles, scaling and thickening of the skin.  WARNING: This substance has been classified by the IARC as C [Estimated Lethal Dose (human) 100 ml; RTECS quoted by Orica For ethylene glycol:  Ethylene glycol is quickly and extensively absorbed throughout the through the airways; absorption through skin is apparently slow.  Carbamate pesticides are less dangerous than organophosphoru For 3-iodo-2-propynyl butyl carbamate (IPBC):  Acute toxicity studies with IPBC show low toxicity except severe decreased weight gain and increased red cell and eosinophil cou Inhalation (human) TCLo: 16 mppcf*/8H/17.9y-1 * Millions of particular materials and the international Agency for Research on Cancer (IARC) has classification is based on what IAR the carcinogenic to humans. This classification is based on what IAR the carcinogenicity of inhaled silica in the forms of quartz and crist The following information refers to contact allergens as a group a Contact allergies quickly manifest themselves as contact eczema.  Asthma-like symptoms may continue for months or even years af known as reactive airways dysfunction syndrome (RADS) which is significant acute toxicological data identified in literature search.	contact. When inhaled, it mmation. Repeated or product the product of the product	may deposit in lung tissue and lymph nodes causing rolonged exposure to irritants may produce duce on contact skin redness, swelling, the production of nogenic to Humans.  tive effector in rats (birth defects). Mutagenic to rat cells. Limited information suggests that it is also absorbed higher dose to produce toxicity or mortality.  ing showed that extended exposure may cause  RC as Group 1: CARCINOGENIC TO HUMANS  osures to respirable (<5 um) crystalline silica as being evidence from epidemiological studies of humans for this product.  To this product.  To requincke's oedema.
ETHYLENE GLYCOL  3-IODO-2-PROPYNYL BUTYL CARBAMATE  CRISTOBALITE  Line Paint Yellow - 6040 & 3-IODO-2-PROPYNYL BUTYL CARBAMATE  MICA & titanium dioxide  Acute Toxicity  Skin Irritation/Corrosion	Laboratory (in vitro) and animal studies show, exposure to the maproducing mutation.  Exposure to titanium dioxide is via inhalation, swallowing or skin of dysfunction of the lungs and immune system.  The material may produce moderate eye irritation leading to inflat conjunctivitis.  The material may cause skin irritation after prolonged or repeated vesicles, scaling and thickening of the skin.  WARNING: This substance has been classified by the IARC as Compared to the scale of the skin.  WARNING: This substance has been classified by the IARC as Compared to the scale of the skin.  Warning: This substance has been classified by the IARC as Compared to the scale of the skin.  Warning: This substance has been classified by the IARC as Compared to the scale of the skin.  Warning: This substance has been classified by the IARC as Compared to the scale of the skin.  Carbamated Lethal Dose (human) 100 ml; RTECS quoted by Orical For ethylene glycol is quickly and extensively absorbed throughout the through the airways; absorption through skin is apparently slow.  Carbamate pesticides are less dangerous than organophosphorus for 3-iodo-2-propynyl butyl carbamate (IPBC):  Acute toxicity studies with IPBC show low toxicity except severe of decreased weight gain and increased red cell and eosinophil could inhalation (human) TCLo: 16 mppcf*/8H/17.9y-I * Millions of particular warning for inhalation exposure ONLY: This substance has be the laterational Agency for Research on Cancer (IARC) has clas carcinogenic to humans . This classification is based on what IAR the carcinogenicity of inhaled silica in the forms of quartz and cristing carcinogenic to humans in the forms of quartz and cristing information refers to contact allergens as a group a Contact allergies quickly manifest themselves as contact eczema known as reactive airways dysfunction syndrome (RADS) which of significant acute toxicological data identified in literature search.	contact. When inhaled, it mmation. Repeated or production of exposure and may product a gastrointestinal tract. It is pesticides. It requires the gastrointestinal test ints. It is cless per cubic foot een classified by the IAF is saffied occupational expect considered sufficient outpost to balite. In may not be specific to an may not be specific to an may not be specific to an occur after exposure to the mate can occur after exposure.  Carcinogenicity  Reproductivity	may deposit in lung tissue and lymph nodes causing rolonged exposure to irritants may produce duce on contact skin redness, swelling, the production of nogenic to Humans.  tive effector in rats (birth defects). Mutagenic to rat cells. Limited information suggests that it is also absorbed higher dose to produce toxicity or mortality.  ing showed that extended exposure may cause  RC as Group 1: CARCINOGENIC TO HUMANS  osures to respirable (<5 um) crystalline silica as being evidence from epidemiological studies of humans for this product.  To this product.  To requincke's oedema.

Data evailable to make classification

### **SECTION 12 Ecological information**

### Toxicity

	Endpoint	Test Duration (hr)	Species	Value	Source
Line Paint Yellow - 6040	Not Available	Not Available	Not Available	Not Available	Not Available

Version No: 2.3 Page 7 of 9

### Line Paint Yellow - 6040

Issue Date: **10/20/2022**Print Date: **10/20/2022** 

mica	Not Available	Not Available	Not Available	Not	Not
			Not Available	Available	Available
	Endpoint	Test Duration (hr)	Species	Value	Sourc
	BCF	1008h	Fish	<1.1-9.6	7
	EC50	72h	Algae or other aquatic plants	3.75-7.58mg/l	4
titanium dioxide	EC50	48h	Crustacea	1.9mg/l	2
	NOEC(ECx)	504h	Crustacea	0.02mg/l	4
	LC50	96h	Fish	1.85-3.06mg/l	4
	EC50	96h	Algae or other aquatic plants	179.05mg/l	2
	Endpoint	Test Duration (hr)	Species	Value	Source
	EC50(ECx)	Not Available	Algae or other aquatic plants	6500-7500mg/l	1
ethylene glycol	EC50	48h	Crustacea	>100mg/l	2
	LC50	96h	Fish	>10000mg/l	1
	EC50	96h	Algae or other aquatic plants	6500-13000mg/l	1
	Endpoint	Test Duration (hr)	Species	Value	Source
	NOEC(ECx)	840h	Fish	0.013mg/L	4
3-iodo-2-propynyl butyl carbamate	EC50	72h	Algae or other aquatic plants	0.039mg/l	4
Carbaniate	EC50	48h	Crustacea	0.04mg/L	5
	LC50	96h	Fish	0.077-0.124mg/L	4
	Endpoint	Test Duration (hr)	Species	Value	Source
cristobalite	Not Available	Not Available	Not Available	Not Available	Not Availab

 $Harmful\ to\ aquatic\ organisms,\ may\ cause\ long-term\ adverse\ effects\ in\ the\ aquatic\ environment.$ 

Do NOT allow product to come in contact with surface waters or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment wash-waters.

DO NOT discharge into sewer or waterways.

### Persistence and degradability

r orolotorioo ana aogradability	crossrood and dograduality		
Ingredient	Persistence: Water/Soil	Persistence: Air	
titanium dioxide	HIGH	HIGH	
ethylene glycol	LOW (Half-life = 24 days)	LOW (Half-life = 3.46 days)	
3-iodo-2-propynyl butyl carbamate	HIGH	HIGH	

### Bioaccumulative potential

Ingredient	Bioaccumulation
titanium dioxide	LOW (BCF = 10)
ethylene glycol	LOW (BCF = 200)
3-iodo-2-propynyl butyl carbamate	LOW (LogKOW = 2.4542)

### Mobility in soil

Ingredient	Mobility
titanium dioxide	LOW (KOC = 23.74)
ethylene glycol	HIGH (KOC = 1)
3-iodo-2-propynyl butyl carbamate	LOW (KOC = 365.3)

### **SECTION 13 Disposal considerations**

#### Waste treatment methods

► Containers may still present a chemical hazard/ danger when empty.

Product / Packaging disposal

Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area.

Version No: 2.3 Page 8 of 9 Issue Date: 10/20/2022

Line Paint Yellow - 6040 Print Date: 10/20/2022

- DO NOT allow wash water from cleaning or process equipment to enter drains.
- It may be necessary to collect all wash water for treatment before disposal.
- Recycle wherever possible or consult manufacturer for recycling options.
- Consult State Land Waste Authority for disposal.

### **SECTION 14 Transport information**

### **Labels Required**

Marine Pollutant	NO
HAZCHEM	Not Applicable

#### Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
mica	Not Available
titanium dioxide	Not Available
ethylene glycol	Not Available
3-iodo-2-propynyl butyl carbamate	Not Available
cristobalite	Not Available

#### Transport in bulk in accordance with the ICG Code

Product name	Ship Type
mica	Not Available
titanium dioxide	Not Available
ethylene glycol	Not Available
3-iodo-2-propynyl butyl carbamate	Not Available
cristobalite	Not Available

### **SECTION 15 Regulatory information**

### Safety, health and environmental regulations / legislation specific for the substance or mixture

### $\mbox{\sc mica}$ is found on the following regulatory lists

Australian Inventory of Industrial Chemicals (AIIC)

International WHO List of Proposed Occupational Exposure Limit (OEL) Values for Manufactured Nanomaterials (MNMS)

#### titanium dioxide is found on the following regulatory lists

Australian Inventory of Industrial Chemicals (AIIC)
Chemical Footprint Project - Chemicals of High Concern List
International Agency for Research on Concer (IAPC) - Agents Classified by the

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

## International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs - Group 2B: Possibly carcinogenic to humans

International WHO List of Proposed Occupational Exposure Limit (OEL) Values for Manufactured Nanomaterials (MNMS)

### ethylene glycol is found on the following regulatory lists

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 5

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) Schedule 6
Australian Inventory of Industrial Chemicals (AIIC)

Chemical Footprint Project - Chemicals of High Concern List

#### 3-iodo-2-propynyl butyl carbamate is found on the following regulatory lists

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) -Schedule 5

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 6

### Australian Inventory of Industrial Chemicals (AIIC)

International WHO List of Proposed Occupational Exposure Limit (OEL) Values for Manufactured Nanomaterials (MNMS)

#### cristobalite is found on the following regulatory lists

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals Australia Model Work Health and Safety Regulations - Hazardous chemicals (other than lead) requiring health monitoring

Australian Inventory of Industrial Chemicals (AIIC)

Chemical Footprint Project - Chemicals of High Concern List

International WHO List of Proposed Occupational Exposure Limit (OEL) Values for Manufactured Nanomaterials (MNMS)

#### **National Inventory Status**

National Inventory	Status
Australia - AIIC / Australia	Yes

Version No: 2.3 Page 9 of 9 Issue Date: 10/20/2022 Print Date: 10/20/2022

#### Line Paint Yellow - 6040

National Inventory	Status
Non-Industrial Use	
Canada - DSL	Yes
Canada - NDSL	No (mica; titanium dioxide; ethylene glycol; 3-iodo-2-propynyl butyl carbamate; cristobalite)
China - IECSC	Yes
Europe - EINEC / ELINCS / NLP	Yes
Japan - ENCS	No (mica)
Korea - KECI	Yes
New Zealand - NZIoC	Yes
Philippines - PICCS	Yes
USA - TSCA	No (mica)
Taiwan - TCSI	Yes
Mexico - INSQ	Yes
Vietnam - NCI	Yes
Russia - FBEPH	Yes
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.

#### **SECTION 16 Other information**

Revision Date	10/20/2022
Initial Date	10/10/2022

#### CONTACT POINT

#### **SDS Version Summary**

Version	Date of Update	Sections Updated
1.3	10/20/2022	Ingredients, Physical Properties

#### Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings.

#### **Definitions and abbreviations**

PC-TWA: Permissible Concentration-Time Weighted Average

PC-STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit。

IDLH: Immediately Dangerous to Life or Health Concentrations

ES: Exposure Standard

OSF: Odour Safety Factor

NOAEL :No Observed Adverse Effect Level

LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value LOD: Limit Of Detection

OTV: Odour Threshold Value

BCF: BioConcentration Factors

BEI: Biological Exposure Index

AIIC: Australian Inventory of Industrial Chemicals

DSL: Domestic Substances List

NDSL: Non-Domestic Substances List

IECSC: Inventory of Existing Chemical Substance in China

EINECS: European INventory of Existing Commercial chemical Substances

ELINCS: European List of Notified Chemical Substances

NLP: No-Longer Polymers

ENCS: Existing and New Chemical Substances Inventory

KECI: Korea Existing Chemicals Inventory NZIoC: New Zealand Inventory of Chemicals

PICCS: Philippine Inventory of Chemicals and Chemical Substances

TSCA: Toxic Substances Control Act

TCSI: Taiwan Chemical Substance Inventory

INSQ: Inventario Nacional de Sustancias Químicas

NCI: National Chemical Inventory

FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

Powered by AuthorITe, from Chemwatch.

<sup>\*\*</sup>PLEASE NOTE THAT TITANIUM DIOXIDE IS NOT PRESENT IN CLEAR OR NEUTRAL BASES\*\*