

# **CoolTop Earth - CTEA**

# **ICP Construction Inc**

Version No: 1.1

Safety Data Sheet according to OSHA HazCom Standard (2024) requirements

Issue Date: 03/27/2025 Print Date: 03/27/2025 S.GHS.USA.EN

# **SECTION 1 Identification**

### **Product Identifier**

Product name	CoolTop Earth - CTEA
Synonyms	Not Available
Other means of identification	Not Available

# Recommended use of the chemical and restrictions on use

	l
Relevant identified uses	Sports Surface

# Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Registered company name	ICP Construction Inc
Address	150 Dascomb Road Andover MA 01810 United States
Telephone	1-866-667-5119 1-978-623-9987
Fax	Not Available
Website	www.icpgroup.com
Email	sds@icpgroup.com

# **Emergency phone number**

	Association / Organisation	ChemTel
	Emergency telephone number(s)	1-800-255-3924
C	Other emergency telephone number(s)	1-813-248-0585

# SECTION 2 Hazard(s) identification

# Classification of the substance or mixture

# NFPA 704 diamond



Note: The hazard category numbers found in GHS classification in section 2 of this SDSs are NOT to be used to fill in the NFPA 704 diamond. Blue = Health Red = Fire Yellow = Reactivity White = Special (Oxidizer or water reactive substances)

Classification

Carcinogenicity Category 1B, Specific Target Organ Toxicity - Repeated Exposure Category 1, Specific Target Organ Toxicity - Repeated Exposure Category 2, Hazardous to the Aquatic Environment Acute Hazard Category 3

# Label elements

# Hazard pictogram(s)



Signal word

# Hazard statement(s)

H350	May cause cancer.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
H402	Harmful to aquatic life.

Version No: 1.1 Page 2 of 10 Issue Date: 03/27/2025

### CoolTop Earth - CTEA

Not Applicable

# Precautionary statement(s) General

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.

# Precautionary statement(s) Prevention

P201	Obtain special instructions before use.
P260	Do not breathe mist/vapours/spray.
P280	Wear protective gloves and protective clothing.
P270	Do not eat, drink or smoke when using this product.
P273	Avoid release to the environment.
P202	Do not handle until all safety precautions have been read and understood.
P264	Wash all exposed external body areas thoroughly after handling.

# Precautionary statement(s) Response

P308+P313	IF exposed or concerned: Get medical advice/ attention.
P314	Get medical advice/attention if you feel unwell.

### Precautionary statement(s) Storage

P405	Store locked up.
------	------------------

# Precautionary statement(s) Disposal

P501 Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

# **SECTION 3 Composition / information on ingredients**

### Substances

See section below for composition of Mixtures

### Mixtures

CAS No	%[weight]	Name
14808-60-7	40-60	silica crystalline - quartz
13463-67-7	0.1-1	<u>Titanium Dioxide Ti02</u>
107-21-1	1-5	ethylene glycol

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

# **SECTION 4 First-aid measures**

# Description of first aid measures

Eye Contact	If this product comes in contact with eyes:  Wash out immediately with water.  If irritation continues, seek medical attention.  Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin contact occurs:  Immediately remove all contaminated clothing, including footwear.  Flush skin and hair with running water (and soap if available).  Seek medical attention in event of irritation.
Inhalation	<ul> <li>If fumes, aerosols or combustion products are inhaled remove from contaminated area.</li> <li>Other measures are usually unnecessary.</li> </ul>
Ingestion	<ul> <li>Immediately give a glass of water.</li> <li>First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.</li> </ul>

# Most important symptoms and effects, both acute and delayed

See Section 11

# Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5 Fire-fighting measures**

# Extinguishing media

- Foam.
- Dry chemical powder.

### Special hazards arising from the substrate or mixture

Special nazards arising from the substrate of mixture	
Fire Incompatibility	None known.

Version No: **1.1** Page **3** of **10** Issue Date: **03/27/2025** 

CoolTop Earth - CTEA Print Date: 03/27/2025

### Special protective equipment and precautions for fire-fighters

· · · · · · · · · · · · · · · · · · ·	_ •
Fire Fighting	<ul> <li>Alert Fire Brigade and tell them location and nature of hazard.</li> <li>Wear full body protective clothing with breathing apparatus.</li> </ul>
Fire/Explosion Hazard	<ul> <li>Combustible.</li> <li>Slight fire hazard when exposed to heat or flame.</li> <li>May emit poisonous fumes.</li> <li>May emit corrosive fumes.</li> </ul>

### **SECTION 6 Accidental release measures**

# Personal precautions, protective equipment and emergency procedures

See section 8

### **Environmental precautions**

See section 12

### Methods and material for containment and cleaning up

Wethous and material for conta	annient and cleaning up
Minor Spills	<ul><li>Remove all ignition sources.</li><li>Clean up all spills immediately.</li></ul>
Major Spills	<ul> <li>Clear area of personnel and move upwind.</li> <li>Alert Fire Brigade and tell them location and nature of hazard.</li> </ul>

Personal Protective Equipment advice is contained in Section 8 of the SDS.

# **SECTION 7 Handling and storage**

# Precautions for safe handling

Frecautions for sale flatiding	
Safe handling	<ul> <li>Avoid all personal contact, including inhalation.</li> <li>Wear protective clothing when risk of exposure occurs.</li> <li>DO NOT allow clothing wet with material to stay in contact with skin</li> </ul>
Other information	<ul> <li>Store in original containers.</li> <li>Keep containers securely sealed.</li> </ul>

# Conditions for safe storage, including any incompatibilities

Suitable container	<ul> <li>Metal can or drum</li> <li>Packaging as recommended by manufacturer.</li> <li>Check all containers are clearly labelled and free from leaks.</li> </ul>
Storage incompatibility	None known















X — Must not be stored together

May be stored together with specific preventions

+ — May be stored together

Note: Depending on other risk factors, compatibility assessment based on the table above may not be relevant to storage situations, particularly where large volumes of dangerous goods are stored and handled. Reference should be made to the Safety Data Sheets for each substance or article and risks assessed accordingly.

# SECTION 8 Exposure controls / personal protection

### Control parameters

# Occupational Exposure Limits (OEL)

### INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
US OSHA Permissible Exposure Limits (PELs) Table Z-1	silica crystalline - quartz	Quartz - respirable	0.05 mg/m3	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Limits (PELs) Table Z-3	silica crystalline - quartz	Silica: Crystalline: Quartz (Respirable)	10 (%SiO2+2) mg/m3 / 250 (%SiO2+5) mppcf	Not Available	Not Available	Not Available
US NIOSH Recommended Exposure Limits (RELs)	silica crystalline - quartz	Silica, crystalline (as respirable dust)	0.05 mg/m3	Not Available	Not Available	Ca; See Appendix A
US OSHA Permissible Exposure Limits (PELs) Table Z-1	Titanium Dioxide Ti02	Titanium dioxide - Total dust	15 mg/m3	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Limits (PELs) Table Z-3	Titanium Dioxide Ti02	Inert or Nuisance Dust: Total Dust	15 mg/m3 / 50 mppcf	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Limits (PELs) Table Z-3	Titanium Dioxide Ti02	Inert or Nuisance Dust: Respirable fraction	5 mg/m3 / 15 mppcf	Not Available	Not Available	Not Available
US NIOSH Recommended Exposure Limits (RELs)	Titanium Dioxide Ti02	Titanium dioxide	Not Available	Not Available	Not Available	Ca; See Appendix A

Version No: **1.1** Page **4** of **10** Issue Date: **03/27/2025** 

### CoolTop Earth - CTEA

Source	Ingredient	Material name		TWA		STEL	Peak	Notes
US NIOSH Recommended Exposure Limits (RELs)	ethylene glycol	Ethylene glycol		Not Available		Not Available	Not Available	See Appendix D
Emergency Limits								
Ingredient	TEEL-1		TEEL	-2		TEEL-3		
silica crystalline - quartz	0.075 mg/m3 33		33 mg	3 mg/m3 200 mg/		200 mg/m3	J/m3	
Titanium Dioxide Ti02	30 mg/m3	30 mg/m3 330		330 mg/m3 2,000 mg/m		3		
ethylene glycol	30 ppm		150 p	pm		900 ppm		
Ingredient	Original IDLH				Revise	d IDLH		
silica crystalline - quartz	25 mg/m3 / 50 mg/m	25 mg/m3 / 50 mg/m3			Not Available			
Titanium Dioxide Ti02	5,000 mg/m3	5,000 mg/m3			Not Available			
ethylene glycol	Not Available				Not Available			

### **Exposure controls**

# Appropriate engineering controls

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.

# Individual protection measures, such as personal protective equipment







# Eye and face protection

- Safety glasses with side shields
- Chemical goggles

### Skin protection

See Hand protection below

Wear chemical protective gloves, e.g. PVC.Wear safety footwear or safety gumboots, e.g. Rubber

# NOTE:

#### Hands/feet protection

The material may produce skin sensitisation in predisposed individuals. Care must be taken, when removing gloves and other protective equipment, to avoid all possible skin contact.

The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### Body protection

See Other protection below

# Other protection

- Employees working with confirmed human carcinogens should be provided with, and be required to wear, clean, full body protective clothing (smocks, coveralls, or long-sleeved shirt and pants), shoe covers and gloves prior to entering the regulated area. [AS/NZS ISO 6529:2006 or national equivalent]
- Employees engaged in handling operations involving carcinogens should be provided with, and required to wear and use half-face filter-type respirators with filters for dusts, mists and fumes, or air purifying canisters or cartridges.
- Prior to each exit from an area containing confirmed human carcinogens, employees should be required to remove and leave protective clothing and equipment at the point of exit and at the last exit of the day, to place used clothing and equipment in impervious containers at the point of exit for purposes of decontamination or disposal. The contents of such impervious containers must be identified with suitable labels.
  - Overalls.
  - P.V.C apron.

# Respiratory protection

Type AX-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

# SECTION 9 Physical and chemical properties

### Information on basic physical and chemical properties

Appearance	Not Available		
Physical state	Liquid	Relative density (Water = 1)	Not Available
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	Not Available	Decomposition temperature (°C)	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Available
Flash point (°C)	>130	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Immiscible	pH as a solution (1%)	Not Available

 Version No: 1.1
 Page 5 of 10
 Issue Date: 03/27/2025

 Print Date: 03/27/2025
 Print Date: 03/27/2025

# CoolTop Earth - CTEA

Vapour density (Air = 1)	Not Available	VOC g/L	97
Heat of Combustion (kJ/g)	Not Available	Ignition Distance (cm)	Not Available
Flame Height (cm)	Not Available	Flame Duration (s)	Not Available
Enclosed Space Ignition Time Equivalent (s/m3)	Not Available	Enclosed Space Ignition Deflagration Density (g/m3)	Not Available
Nanoform Solubility	Not Available	Nanoform Particle Characteristics	Not Available
Particle Size	Not Available		

# **SECTION 10 Stability and reactivity**

Reactivity	See section 7
Chemical stability	<ul> <li>Unstable in the presence of incompatible materials.</li> <li>Product is considered stable.</li> </ul>
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

# **SECTION 11 Toxicological information**

Information	on tox	icologica	l effects
-------------	--------	-----------	-----------

mormation on toxicological of	
a) Acute Toxicity	Based on available data, the classification criteria are not met.
b) Skin Irritation/Corrosion	Based on available data, the classification criteria are not met.
c) Serious Eye Damage/Irritation	Based on available data, the classification criteria are not met.
d) Respiratory or Skin sensitisation	Based on available data, the classification criteria are not met.
e) Mutagenicity	Based on available data, the classification criteria are not met.
f) Carcinogenicity	There is sufficient evidence to classify this material as carcinogenic
g) Reproductivity	Based on available data, the classification criteria are not met.
h) STOT - Single Exposure	Based on available data, the classification criteria are not met.
i) STOT - Repeated Exposure	There is sufficient evidence to classify this material as toxic to specific organs through repeated exposure
j) Aspiration Hazard	Based on available data, the classification criteria are not met.
Inhaled	The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in a occupational setting.
Ingestion	The material has NOT been classified by EC Directives or other classification systems as 'harmful by ingestion'. This is because of the lack of corroborating animal or human evidence.
Skin Contact	The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting.  Open cuts, abraded or irritated skin should not be exposed to this material  Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.
Eye	Although the liquid is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may produce transient discomfort characterised by tearing or conjunctival redness (as with windburn).
Chronic	Repeated or long-term occupational exposure is likely to produce cumulative health effects involving organs or biochemical systems.  Skin contact with the material is more likely to cause a sensitisation reaction in some persons compared to the general population.  There is ample evidence that this material can be regarded as being able to cause cancer in humans based on experiments and other information.  Toxic: danger of serious damage to health by prolonged exposure through inhalation, in contact with skin and if swallowed.  This material can cause serious damage if one is exposed to it for long periods. It can be assumed that it contains a substance which can produce severe defects.

CoolTop Earth - CTEA	TOXICITY	IRRITATION	
	Not Available	Not Available	
	TOXICITY		IRRITATION
silica crystalline - quartz	Inhalation (Human)LCLo: 0.3 mg/m3/10Y <sup>[2]</sup>		Not Available
	Inhalation (Human)TCLo: 16 mppcf*/8H/17.9Y <sup>[2]</sup>		
	Inhalation (Rat)TCLo: 50 mg/m3/6H/71W <sup>[2]</sup>		

# Titanium Dioxide Ti02

TOXICITY	IRRITATION
dermal (hamster) LD50: >=10000 mg/kg <sup>[2]</sup>	Eye: no adverse effect observed (not irritating) <sup>[1]</sup>
Inhalation (Rat) LC50: >2.28 mg/l4h <sup>[1]</sup>	Skin (Human): 300ug/3D (intermittent) - Mild
Oral (Rat) LD50: >=2000 mg/kg <sup>[1]</sup>	Skin: no adverse effect observed (not irritating) <sup>[1]</sup>

Version No: 1.1 Page 6 of 10 Issue Date: 03/27/2025

# CoolTop Earth - CTEA

Print Date: 03/27/2025

	IRRITATION	
0 mg/kg <sup>[2]</sup>	Eye (Rodent - rabbit): 0.012ppm/3D	
10000 mg/m3 <sup>[2]</sup>	Eye (Rodent - rabbit): 100mg/1H - Mild	
00 mg/m3/8 hr <sup>[2]</sup>	Eye (Rodent - rabbit): 1440mg/6H - Moderate	
g/kg <sup>[2]</sup>	Eye (Rodent - rabbit): 500mg/24H - Mild	
ng/kg <sup>[2]</sup>	Eye (Rodent - rat): 0.012%/3D	
/kg <sup>[2]</sup>	Eye: no adverse effect observed (not irritating) <sup>[1]</sup>	
	Skin (Rodent - rabbit): 555mg - Mild	
	Skin: no adverse effect observed (not irritating) <sup>[1]</sup>	
1	100 mg/kg <sup>[2]</sup> 10000 mg/m3 <sup>[2]</sup> 100 mg/m3/8 hr <sup>[2]</sup> 10g/kg <sup>[2]</sup> ng/kg <sup>[2]</sup>	

Value obtained from Europe ECHA Registered Substances - Acute toxicity 2. Value of specified data extracted from RTECS - Register of Toxic Effect of chemical Substances

CoolTop Earth - CTEA	The following information refers to contact allergens as a group and may not be specific to this product.  Contact allergies quickly manifest themselves as contact eczema, more rarely as urticaria or Quincke's oedema.		
silica crystalline - quartz	WARNING: For inhalation exposure ONLY: This substance has been classified by the IARC as Group 1: CARCINOGENIC TO HUMANS  The International Agency for Research on Cancer (IARC) has classified occupational exposures to respirable (<5 um) crystalline silica as being carcinogenic to humans. This classification is based on what IARC considered sufficient evidence from epidemiological studies of humans for the carcinogenicity of inhaled silica in the forms of quartz and cristobalite.		
ethylene glycol	[Estimated Lethal Dose (human) 100 ml; RTECS quoted by Orica] Substance is reproductive effector in rats (birth defects). Mutagenic to rat cells.  For ethylene glycol:  Ethylene glycol is quickly and extensively absorbed throughout the gastrointestinal tract. Limited information suggests that it is also absorbed through the airways; absorption through skin is apparently slow.		
Acute Toxicity	×	Carcinogenicity	~
Skin Irritation/Corrosion	×	Reproductivity	×
Serious Eye Damage/Irritation	×	STOT - Single Exposure	×
Respiratory or Skin sensitisation	×	STOT - Repeated Exposure	•

Legend:

Aspiration Hazard

X − Data either not available or does not fill the criteria for classification - Data available to make classification

# **SECTION 12 Ecological information**

Mutagenicity

Toxicity	
----------	--

CoolTon Forth CTEA	Endpoint	Test Duration (hr)		Species	Value		Source
CoolTop Earth - CTEA	Not Available	Not Available		Not Available	Not Availab	ole i	Not Available
	Endpoint	Test Duration (hr)	. :	Species	Value		Source
silica crystalline - quartz	Not Available	Not Available		Not Available	Not Availab	ole I	Not Available
	Endpoint	Test Duration (hr)	Species	3		Value	Source
	BCF	1008h	Fish			<1.1-9.6	7
	EC50	48h	Crustace	Crustacea		1.9mg/l	2
Titanium Dioxide Ti02	EC50	72h	Algae or	Algae or other aquatic plants		3.75-7.58mg/l	4
	EC50	96h	Algae or	Algae or other aquatic plants		179.05mg/l	2
	NOEC(ECx)	672h	Fish			>=0.004mg/L	2
	LC50	96h	96h Fish 1.85-3.		1.85-3.06mg/l	4	
	Endpoint	Test Duration (hr)	Species		\	/alue	Source
	EC50	48h	Crustacea	Crustacea		100mg/l	2
ethylene glycol	EC50(ECx)	Not Available	Algae or other aquatic plants		6	500-7500mg/l	1
	EC50	96h	Algae or o	Algae or other aquatic plants		500-13000mg/l	1
	LC50	96h	Fish		8	050mg/L	4
Legend:	Extracted from 1	IUCLID Toxicity Data 2. Euro	one FCHA Regist	ered Substances - F	Ecotoxicological II	nformation - Agu	atic Toxicity 4 11S

Version No: **1.1** Page **7** of **10** Issue Date: **03/27/2025** 

### CoolTop Earth - CTEA

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
Titanium Dioxide Ti02	HIGH	HIGH
ethylene glycol	LOW (Half-life = 24 days)	LOW (Half-life = 3.46 days)

### Bioaccumulative potential

Ingredient	Bioaccumulation
Titanium Dioxide Ti02	LOW (BCF = 10)
ethylene glycol	LOW (BCF = 200)

# Mobility in soil

Ingredient	Mobility
Titanium Dioxide Ti02	LOW (Log KOC = 23.74)
ethylene glycol	HIGH (Log KOC = 1)

#### Other adverse effects

No evidence of ozone depleting properties were found in the current literature.

# **SECTION 13 Disposal considerations**

### Waste treatment methods

- ▶ Containers may still present a chemical hazard/ danger when empty.
- Return to supplier for reuse/ recycling if possible.

### Product / Packaging disposal

Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area.

- ▶ DO NOT allow wash water from cleaning or process equipment to enter drains.
- ▶ It may be necessary to collect all wash water for treatment before disposal.
- Recycle wherever possible or consult manufacturer for recycling options.
- ► Consult State Land Waste Management Authority for disposal.

### **SECTION 14 Transport information**

### **Labels Required**

Marine Pollutant	NO

Land transport (DOT): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.7. Maritime transport in bulk according to IMO instruments

14.7.1. Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

# 14.7.2. Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
silica crystalline - quartz	Not Available
Titanium Dioxide Ti02	Not Available
ethylene glycol	Not Available

# 14.7.3. Transport in bulk in accordance with the IGC Code

•	
Product name	Ship Type
silica crystalline - quartz	Not Available
Titanium Dioxide Ti02	Not Available
ethylene glycol	Not Available

# **SECTION 15 Regulatory information**

# Safety, health and environmental regulations / legislation specific for the substance or mixture

### silica crystalline - quartz is found on the following regulatory lists

Chemical Footprint Project - Chemicals of High Concern List

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs - Group 1: Carcinogenic to humans

US - California Proposition 65 - Carcinogens

US - California Safe Drinking Water and Toxic Enforcement Act of 1986 - Proposition 65 List

US - Massachusetts - Right To Know Listed Chemicals

US - New Jersey Right to Know - Special Health Hazard Substance List (SHHSL): Carcinogens

US - New Jersey Right to Know Hazardous Substances

Version No: 1.1 Page 8 of 10 Issue Date: 03/27/2025

### CoolTop Earth - CTEA

Print Date: 03/27/2025

US - Pennsylvania - Hazardous Substance List

US DOE Temporary Emergency Exposure Limits (TEELs)

US National Toxicology Program (NTP) 15th Report Part A Known to be Human Carcinogens

US NIOSH Recommended Exposure Limits (RELs)

US OSHA Carcinogens Listing

US OSHA Permissible Exposure Limits (PELs) Table Z-1

US OSHA Permissible Exposure Limits (PELs) Table Z-3

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

### Titanium Dioxide Ti02 is found on the following regulatory lists

Chemical Footprint Project - Chemicals of High Concern List

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs - Group 2B: Possibly carcinogenic to humans

International WHO List of Proposed Occupational Exposure Limit (OEL) Values for Manufactured Nanomaterials (MNMS)

US - Alaska Air Quality Control - Concentrations Triggering an Air Quality Episode for Air Pollutants Other Than PM-2.5

US - California Proposition 65 - Carcinogens

US - California Safe Drinking Water and Toxic Enforcement Act of 1986 - Proposition 65 List

US - Massachusetts - Right To Know Listed Chemicals

US - New Jersey Right to Know Hazardous Substances

US - Pennsylvania - Hazardous Substance List

US DOE Temporary Emergency Exposure Limits (TEELs)

US New York City Community Right-to-Know: List of Hazardous Substances

US NIOSH Recommended Exposure Limits (RELs)

US OSHA Permissible Exposure Limits (PELs) Table Z-1

US OSHA Permissible Exposure Limits (PELs) Table Z-3

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

#### ethylene alycol is found on the following regulatory lists

Chemical Footprint Project - Chemicals of High Concern List

US - California Hazardous Air Pollutants Identified as Toxic Air Contaminants

US - California Proposition 65 - Maximum Allowable Dose Levels (MADLs) for Chemicals Causing Reproductive Toxicity

US - California Proposition 65 - Reproductive Toxicity

US - California Safe Drinking Water and Toxic Enforcement Act of 1986 - Proposition 65 List

US - Massachusetts - Right To Know Listed Chemicals

US - New Jersey Right to Know Hazardous Substances

US - Pennsylvania - Hazardous Substance List

US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs)

US Clean Air Act - Hazardous Air Pollutants

US DOE Temporary Emergency Exposure Limits (TEELs)

US EPA Integrated Risk Information System (IRIS)

US EPCRA Section 313 Chemical List

US New York City Community Right-to-Know: List of Hazardous Substances

US NIOSH Recommended Exposure Limits (RELs)

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

### **Additional Regulatory Information**

Section 311/312 hazard categories

Flammable (Gases, Aerosols, Liquids, or Solids)

Not Applicable

Pyrophoric Gas

Corrosive to metal

# **Federal Regulations**

# Superfund Amendments and Reauthorization Act of 1986 (SARA)

# Gas under pressure Explosive Self-heating Pyrophoric (Liquid or Solid)

Oxidizer (Liquid, Solid or Gas) Organic Peroxide

Self-reactive

In contact with water emits flammable gas Combustible Dust

Carcinogenicity Acute toxicity (any route of exposure)

Reproductive toxicity

Skin Corrosion or Irritation Respiratory or Skin Sensitization

Serious eye damage or eye irritation Specific target organ toxicity (single or repeated exposure)

Aspiration Hazard Germ cell mutagenicity

Hazards Not Otherwise Classified

Simple Asphyxiant

Continued...

Nο

No

No

No

No

No

No

Nο

No

No

No

Yes

No

No

No

No

No

Nο

No

Version No: 1.1 Page 9 of 10 Issue Date: 03/27/2025

### CoolTop Earth - CTEA

US. EPA CERCLA Hazardous Substances and Reportable Quantities (40 CFR 302.4)

Name	Reportable Quantity in Pounds (lb)	Reportable Quantity in kg
ethylene glycol	5000	2270

### US. EPCRA Section 313 Toxic Release Inventory (TRI) (40 CFR 372)

This product contains the following EPCRA section 313 chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know-Act of 1986 (40 CFR 372):

CAS No	%[weight]	Name
107-21-1	1-5	ethylene glycol

This information must be included in all SDSs that are copied and distributed for this material.

### **Additional Federal Regulatory Information**

Not Applicable

### State Regulations

# US. California Proposition 65

🔥 WARNING: This product can expose you to chemicals including silica crystalline - quartz, Titanium Dioxide Ti02, which are known to the State of California to cause cancer, and ethylene glycol, which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to

# **Additional State Regulatory Information**

Not Applicable

### **National Inventory Status**

National Inventory	Status	
Australia - AIIC / Australia Non- Industrial Use	Yes	
Canada - DSL	Yes	
Canada - NDSL	No (silica crystalline - quartz; Titanium Dioxide Ti02; ethylene glycol)	
China - IECSC	Yes	
Europe - EINEC / ELINCS / NLP	Yes	
Japan - ENCS	Yes	
Korea - KECI	Yes	
New Zealand - NZIoC	Yes	
Philippines - PICCS	Yes	
USA - TSCA	All chemical substances in this product have been designated as TSCA Inventory 'Active'	
Taiwan - TCSI	Yes	
Mexico - INSQ	Yes	
Vietnam - NCI	Yes	
Russia - FBEPH	Yes	
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.	

### **SECTION 16 Other information**

Revision Date	03/27/2025
Initial Date	03/28/2025

### CONTACT POINT

\*\*PLEASE NOTE THAT TITANIUM DIOXIDE IS NOT PRESENT IN CLEAR OR NEUTRAL BASES\*\*

# Other information

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings.

### **Definitions and abbreviations**

- ▶ PC TWA: Permissible Concentration-Time Weighted Average
- ▶ PC STEL: Permissible Concentration-Short Term Exposure Limit ▶ IARC: International Agency for Research on Cancer
- ▶ ACGIH: American Conference of Governmental Industrial Hygienists
- STEL: Short Term Exposure LimitTEEL: Temporary Emergency Exposure Limit。
- IDLH: Immediately Dangerous to Life or Health Concentrations
- ES: Exposure Standard
- OSF: Odour Safety Factor
- NOAEL: No Observed Adverse Effect Level
- LOAEL: Lowest Observed Adverse Effect Level
- TLV: Threshold Limit Value
- LOD: Limit Of Detection
- OTV: Odour Threshold Value
- BCF: BioConcentration Factors
- BEI: Biological Exposure Index
- ▶ DNEL: Derived No-Effect Level
- ▶ PNEC: Predicted no-effect concentration
- MARPOL: International Convention for the Prevention of Pollution from Ships
- ▶ IMSBC: International Maritime Solid Bulk Cargoes Code

Issue Date: 03/27/2025 Version No: 1.1 Page 10 of 10 Print Date: 03/27/2025

### CoolTop Earth - CTEA

- IGC: International Gas Carrier Code
   IBC: International Bulk Chemical Code
- ▶ AIIC: Australian Inventory of Industrial Chemicals

- NDSL: Domestic Substances List
   NDSL: Non-Domestic Substances List
   IECSC: Inventory of Existing Chemical Substance in China
   EINECS: European Inventory of Existing Commercial chemical Substances
- ▶ ELINCS: European List of Notified Chemical Substances

- NIP: No-Longer Polymers

  NEP: No-Longer Polymers

  ENCS: Existing and New Chemical Substances Inventory

  KECI: Korea Existing Chemicals Inventory

  NZIoC: New Zealand Inventory of Chemicals

  PICCS: Philippine Inventory of Chemicals and Chemical Substances
- ► TSCA: Toxic Substances Control Act
- ▶ TCSI: Taiwan Chemical Substance Inventory

- INSQ: Inventario Nacional de Sustancias Químicas
   NCI: National Chemical Inventory
   FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

Powered by AuthorITe, from Chemwatch.