

# **ICP Construction Inc**

Version No: 1.1 Safety Data Sheet according to OSHA HazCom Standard (2024) requirements Issue Date: 06/04/2025 Revision Date: 06/03/2025 Print Date: 06/03/2025 S.GHS.USA.EN

## **SECTION 1 Identification**

## **Product Identifier**

| Product name                  | Street Ice - Sharkskin Gray - 60382 |
|-------------------------------|-------------------------------------|
| Synonyms                      | Not Available                       |
| Other means of identification | Not Available                       |

## Recommended use of the chemical and restrictions on use

| Relevant identified uses |
|--------------------------|
|--------------------------|

## Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

| Registered company name | ICP Construction Inc                            |
|-------------------------|---|
| Address                 | 150 Dascomb Road Andover MA 01810 United States |
| Telephone               | 1-866-667-5119 1-978-623-9987                   |
| Fax                     | Not Available                                   |
| Website                 | www.icpgroup.com                                |
| Email                   | sds@icpgroup.com                                |

#### Emergency phone number

| Association / Organisation          | ChemTel        |
|-------------------------------------|----------------|
| Emergency telephone<br>number(s)    | 1-800-255-3924 |
| Other emergency telephone number(s) | 1-813-248-0585 |

## SECTION 2 Hazard(s) identification

## Classification of the substance or mixture

H372

H373

## NFPA 704 diamond



Note: The hazard category numbers found in GHS classification in section 2 of this SDSs are NOT to be used to fill in the NFPA 704 diamond. Blue = Health Red = Fire Yellow = Reactivity White = Special (Oxidizer or water reactive substances)

Causes damage to organs through prolonged or repeated exposure.

May cause damage to organs through prolonged or repeated exposure.

| Classification | Carcinogenicity Category 1B, Specific Target Organ Toxicity - Repeated Exposure Category 1, Specific Target Organ Toxicity - Repeated Exposure Category 2 |
|----------------|---|
|----------------|---|

Label elements

| Hazard pictogram(s) |                   |
|---------------------|-------------------|
| Signal word         | Danger            |
| Hazard statement(s) |                   |
| H350                | May cause cancer. |

## Hazard(s) not otherwise classified

Not Applicable

## Precautionary statement(s) General

| P101 | If medical advice is needed, have product container or label at hand. |
|------|---|
| P102 | Keep out of reach of children.  |
| P103 | Read label before use.  |

## Precautionary statement(s) Prevention

| P201 | Obtain special instructions before use.                                   |
|------|---|
| P260 | Do not breathe mist/vapours/spray.  |
| P280 | Wear protective gloves and protective clothing.                           |
| P270 | Do not eat, drink or smoke when using this product.                       |
| P202 | Do not handle until all safety precautions have been read and understood. |
| P264 | Wash all exposed external body areas thoroughly after handling.           |

#### Precautionary statement(s) Response

| P308+P313 | IF exposed or concerned: Get medical advice/ attention. |
|-----------|---|
| P314      | Get medical advice/attention if you feel unwell.        |

## Precautionary statement(s) Storage

P405 Store locked up.

## Precautionary statement(s) Disposal

Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

## **SECTION 3 Composition / information on ingredients**

P501

## Substances

See section below for composition of Mixtures

#### Mixtures

| CAS No     | %[weight] | Name                        |
|------------|-----------|-----------------------------|
| 14808-60-7 | 3-7       | silica crystalline - quartz |
| 13463-67-7 | 7-13      | Titanium Dioxide Ti02       |
| 107-21-1   | 1-5       | ethylene glycol             |

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

#### **SECTION 4 First-aid measures**

#### Description of first aid measures

| Eye Contact  | <ul> <li>If this product comes in contact with eyes:</li> <li>Wash out immediately with water.</li> <li>If irritation continues, seek medical attention.</li> <li>Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.</li> </ul> |
|--------------|--|
| Skin Contact | If skin contact occurs: <ul> <li>Immediately remove all contaminated clothing, including footwear.</li> <li>Flush skin and hair with running water (and soap if available).</li> <li>Seek medical attention in event of irritation.</li> </ul>                             |
| Inhalation   | <ul> <li>If fumes, aerosols or combustion products are inhaled remove from contaminated area.</li> <li>Other measures are usually unnecessary.</li> </ul>  |
| Ingestion    | <ul> <li>Immediately give a glass of water.</li> <li>First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.</li> </ul>  |

Most important symptoms and effects, both acute and delayed

See Section 11

#### Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5 Fire-fighting measures**

#### Extinguishing media

Foam.

Dry chemical powder.

# Special hazards arising from the substrate or mixture

Fire Incompatibility None known.

| Fire Fighting         | <ul> <li>Alert Fire Brigade and tell them location and nature of hazard.</li> <li>Wear full body protective clothing with breathing apparatus.</li> </ul>         |
|-----------------------|---|
| Fire/Explosion Hazard | <ul> <li>Combustible.</li> <li>Slight fire hazard when exposed to heat or flame.</li> <li>May emit poisonous fumes.</li> <li>May emit corrosive fumes.</li> </ul> |

#### **SECTION 6 Accidental release measures**

Personal precautions, protective equipment and emergency procedures

See section 8

#### **Environmental precautions**

See section 12

## Methods and material for containment and cleaning up

| Minor Spills | <ul> <li>Remove all ignition sources.</li> <li>Clean up all spills immediately.</li> </ul>  |
|--------------|---|
| Major Spills | <ul> <li>Clear area of personnel and move upwind.</li> <li>Alert Fire Brigade and tell them location and nature of hazard.</li> </ul> |

Personal Protective Equipment advice is contained in Section 8 of the SDS.

#### **SECTION 7 Handling and storage**

| Precautions for safe handling |   |
|-------------------------------|---|
| Safe handling                 | <ul> <li>Avoid all personal contact, including inhalation.</li> <li>Wear protective clothing when risk of exposure occurs.</li> <li>DO NOT allow clothing wet with material to stay in contact with skin</li> </ul> |
| Other information             | <ul> <li>Store in original containers.</li> <li>Keep containers securely sealed.</li> </ul>   |

## Conditions for safe storage, including any incompatibilities



X — Must not be stored together

0 — May be stored together with specific preventions

+ — May be stored together

Note: Depending on other risk factors, compatibility assessment based on the table above may not be relevant to storage situations, particularly where large volumes of dangerous goods are stored and handled. Reference should be made to the Safety Data Sheets for each substance or article and risks assessed accordingly.

## **SECTION 8 Exposure controls / personal protection**

#### **Control parameters**

#### Occupational Exposure Limits (OEL)

#### INGREDIENT DATA

| Source   | Ingredient                     | Material name                                  | TWA   | STEL             | Peak             | Notes                 |
|--|--------------------------------|--|---|------------------|------------------|-----------------------|
| US OSHA Permissible<br>Exposure Limits (PELs) Table<br>Z-1 | silica crystalline -<br>quartz | Quartz - respirable                            | 0.05 mg/m3                                  | Not<br>Available | Not<br>Available | Not Available         |
| US OSHA Permissible<br>Exposure Limits (PELs) Table<br>Z-3 | silica crystalline -<br>quartz | Silica: Crystalline: Quartz<br>(Respirable)    | 10 (%SiO2+2) mg/m3 / 250<br>(%SiO2+5) mppcf | Not<br>Available | Not<br>Available | Not Available         |
| US NIOSH Recommended<br>Exposure Limits (RELs)             | silica crystalline -<br>quartz | Silica, crystalline (as respirable dust)       | 0.05 mg/m3                                  | Not<br>Available | Not<br>Available | Ca; See<br>Appendix A |
| US OSHA Permissible<br>Exposure Limits (PELs) Table<br>Z-1 | Titanium Dioxide<br>Ti02       | Titanium dioxide - Total dust                  | 15 mg/m3                                    | Not<br>Available | Not<br>Available | Not Available         |
| US OSHA Permissible<br>Exposure Limits (PELs) Table<br>Z-3 | Titanium Dioxide<br>Ti02       | Inert or Nuisance Dust: Total<br>Dust          | 15 mg/m3 / 50 mppcf                         | Not<br>Available | Not<br>Available | Not Available         |
| US OSHA Permissible<br>Exposure Limits (PELs) Table<br>Z-3 | Titanium Dioxide<br>Ti02       | Inert or Nuisance<br>Dust: Respirable fraction | 5 mg/m3 / 15 mppcf                          | Not<br>Available | Not<br>Available | Not Available         |
| US NIOSH Recommended<br>Exposure Limits (RELs)             | Titanium Dioxide<br>Ti02       | Titanium dioxide                               | Not Available                               | Not<br>Available | Not<br>Available | Ca; See<br>Appendix A |
| US NIOSH Recommended<br>Exposure Limits (RELs)             | ethylene glycol                | Ethylene glycol                                | Not Available                               | Not<br>Available | Not<br>Available | See Appendix<br>D     |

## Emergency Limits

| Ingredient                  | TEEL-1              | TEE         | L-2   |               | TEEL-3      |
|-----------------------------|---------------------|-------------|-------|---------------|-------------|
| silica crystalline - quartz | 0.075 mg/m3         | 33 m        | g/m3  |               | 200 mg/m3   |
| Titanium Dioxide Ti02       | 30 mg/m3            | 330         | mg/m3 |               | 2,000 mg/m3 |
| ethylene glycol             | 30 ppm              | 150         | opm   |               | 900 ppm     |
| Ingredient                  | Original IDLH       |             |       | Revised       | 1 IDLH      |
| silica crystalline - quartz | 25 mg/m3 / 50 mg/m3 |             |       | Not Available |             |
| Titanium Dioxide Ti02       | 5,000 mg/m3         | 5,000 mg/m3 |       | Not Ava       | ilable      |
| ethylene glycol             | Not Available       |             |       | Not Ava       | ilable      |

## Exposure controls

| Appropriate engineering<br>controls   | Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls<br>can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.  |
|---|--|
| Individual protection<br>measures, such as personal<br>protective equipment |  |
| Eye and face protection   | <ul> <li>Safety glasses with side shields.</li> <li>Chemical goggles.</li> </ul>   |
| Skin protection   | See Hand protection below  |
| Hands/feet protection   | <ul> <li>Wear chemical protective gloves, e.g. PVC.</li> <li>Wear safety footwear or safety gumboots, e.g. Rubber</li> <li>NOTE:</li> <li>The material may produce skin sensitisation in predisposed individuals. Care must be taken, when removing gloves and other protective equipment, to avoid all possible skin contact.</li> <li>The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.</li> </ul>  |
| Body protection   | See Other protection below   |
| Other protection  | <ul> <li>Employees working with confirmed human carcinogens should be provided with, and be required to wear, clean, full body protective clothing (smocks, coveralls, or long-sleeved shirt and pants), shoe covers and gloves prior to entering the regulated area. [AS/NZS ISO 6529:2006 or national equivalent]</li> <li>Employees engaged in handling operations involving carcinogens should be provided with, and required to wear and use half-face filter-type respirators with filters for dusts, mists and fumes, or air purifying canisters or cartridges.</li> <li>Prior to each exit from an area containing confirmed human carcinogens, employees should be required to remove and leave protective clothing and equipment at the point of exit and at the last exit of the day, to place used clothing and equipment in impervious containers at the point of exit for purposes of decontamination or disposal. The contents of such impervious containers must be identified with suitable labels.</li> <li>Overalls.</li> <li>P.V.C apron.</li> </ul> |

## **Respiratory protection**

Type ABK-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

## **SECTION 9** Physical and chemical properties

## Information on basic physical and chemical properties

Appearance Not Available

| Physical state                                  | Liquid         | Relative density (Water = 1)               | Not Available |
|---|----------------|--|---------------|
| Odour   | Not Available  | Partition coefficient n-octanol<br>/ water | Not Available |
| Odour threshold                                 | Not Available  | Auto-ignition temperature<br>(°C)          | Not Available |
| pH (as supplied)                                | Not Available  | Decomposition<br>temperature (°C)          | Not Available |
| Melting point / freezing point<br>(°C)          | Not Available  | Viscosity (cSt)                            | Not Available |
| Initial boiling point and<br>boiling range (°C) | Not Available  | Molecular weight (g/mol)                   | Not Available |
| Flash point (°C)                                | >130           | Taste                                      | Not Available |
| Evaporation rate                                | Not Available  | Explosive properties                       | Not Available |
| Flammability                                    | Not Applicable | Oxidising properties                       | Not Available |
| Upper Explosive Limit (%)                       | Not Available  | Surface Tension (dyn/cm or mN/m)           | Not Available |
| Lower Explosive Limit (%)                       | Not Available  | Volatile Component (%vol)                  | Not Available |
| Vapour pressure (kPa)                           | Not Available  | Gas group                                  | Not Available |
| Solubility in water                             | Immiscible     | pH as a solution (1%)                      | Not Available |
| Vapour density (Air = 1)                        | Not Available  | VOC g/L                                    | 125           |
| Heat of Combustion (kJ/g)                       | Not Available  | Ignition Distance (cm)                     | Not Available |
| Flame Height (cm)                               | Not Available  | Flame Duration (s)                         | Not Available |

| Enclosed Space Ignition<br>Time Equivalent (s/m3) | Not Available | Enclosed Space Ignition<br>Deflagration Density (g/m3) | Not Available |
|---|---------------|--|---------------|
| Nanoform Solubility                               | Not Available | Nanoform Particle<br>Characteristics                   | Not Available |
| Particle Size                                     | Not Available |  |               |

## **SECTION 10 Stability and reactivity**

| Reactivity                            | See section 7  |
|---------------------------------------|--|
| Chemical stability                    | <ul> <li>Unstable in the presence of incompatible materials.</li> <li>Product is considered stable.</li> </ul> |
| Possibility of hazardous<br>reactions | See section 7  |
| Conditions to avoid                   | See section 7  |
| Incompatible materials                | See section 7  |
| Hazardous decomposition<br>products   | See section 5  |

## **SECTION 11 Toxicological information**

| a) Acute Toxicity  | Based on available data, the classification criteria are  | not met.  |   |  |  |
|--|---|---|---|--|--|
| b) Skin Irritation/Corrosion   | Based on available data, the classification criteria are  | not met.  |   |  |  |
| c) Serious Eye<br>Damage/Irritation  | Based on available data, the classification criteria are not met.   |   |   |  |  |
| d) Respiratory or Skin<br>sensitisation  | Based on available data, the classification criteria are not met.   |   |   |  |  |
| e) Mutagenicity  | Based on available data, the classification criteria are not met.   |   |   |  |  |
| f) Carcinogenicity   | There is sufficient evidence to classify this material as carcinogenic  |   |   |  |  |
| g) Reproductivity  | Based on available data, the classification criteria are not met.   |   |   |  |  |
| h) STOT - Single Exposure  | Based on available data, the classification criteria are  | not met.  |   |  |  |
| STOT - Repeated Exposure   | There is sufficient evidence to classify this material as   | toxic to specific organ   | ns through repeated exposu  | ire  |  |
| j) Aspiration Hazard   | Based on available data, the classification criteria are  | not met.  |   |  |  |
| Inhaled  | The material is not thought to produce adverse health<br>models). Nevertheless, good hygiene practice requires<br>occupational setting.   |   |   |  |  |
| Ingestion  | The material has <b>NOT</b> been classified by EC Directive of corroborating animal or human evidence.  | es or other classificatio   | on systems as 'harmful by ir  | ngestion'. This is because of the lac  |  |
| Skin Contact   | Skin contact is not thought to have harmful health effects (as classified under EC Directives); the material may still produce health damage following entry through wounds, lesions or abrasions.<br>There is some evidence to suggest that this material can cause inflammation of the skin on contact in some persons.<br>Open cuts, abraded or irritated skin should not be exposed to this material<br>Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the<br>skin prior to the use of the material and ensure that any external damage is suitably protected.  |   |   |  |  |
| _  | Although the liquid is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may produce transient discomfort characterised by tearing or conjunctival redness (as with windburn).  |   |   |  |  |
| Eye  | discomfort characterised by tearing or conjunctival rec   |   |   | e eye may produce transient  |  |
| Eye<br>Chronic   | discomfort characterised by tearing or conjunctival rec<br>Repeated or long-term occupational exposure is likely<br>Skin contact with the material is more likely to cause a<br>There is ample evidence that this material can be rega<br>information.<br>Toxic: danger of serious damage to health by prolonge<br>This material can cause serious damage if one is expo<br>produce severe defects.   | Iness (as with windbur<br>to produce cumulative<br>a sensitisation reaction<br>arded as being able to<br>ed exposure through ir   | m).<br>e health effects involving or<br>i in some persons compare<br>cause cancer in humans b<br>nhalation, in contact with sk  | gans or biochemical systems.<br>d to the general population.<br>ased on experiments and other<br>in and if swallowed.  |  |
|  | Repeated or long-term occupational exposure is likely<br>Skin contact with the material is more likely to cause a<br>There is ample evidence that this material can be rega<br>information.<br>Toxic: danger of serious damage to health by prolonge<br>This material can cause serious damage if one is expo   | Iness (as with windbur<br>to produce cumulative<br>a sensitisation reaction<br>arded as being able to<br>ed exposure through ir   | m).<br>e health effects involving or<br>i in some persons compare<br>cause cancer in humans b<br>nhalation, in contact with sk  | gans or biochemical systems.<br>d to the general population.<br>ased on experiments and other<br>in and if swallowed.  |  |
| Chronic<br>Street Ice - Sharkskin Gray -   | Repeated or long-term occupational exposure is likely<br>Skin contact with the material is more likely to cause a<br>There is ample evidence that this material can be rega<br>information.<br>Toxic: danger of serious damage to health by prolonge<br>This material can cause serious damage if one is expo   | Iness (as with windbur<br>to produce cumulative<br>a sensitisation reaction<br>arded as being able to<br>ed exposure through in<br>osed to it for long perio  | m).<br>e health effects involving or<br>i in some persons compare<br>cause cancer in humans b<br>nhalation, in contact with sk  | gans or biochemical systems.<br>d to the general population.<br>ased on experiments and other<br>in and if swallowed.  |  |
| Chronic  | Repeated or long-term occupational exposure is likely<br>Skin contact with the material is more likely to cause a<br>There is ample evidence that this material can be rega<br>information.<br>Toxic: danger of serious damage to health by prolonge<br>This material can cause serious damage if one is expo<br>produce severe defects.  | Iness (as with windbur<br>to produce cumulative<br>a sensitisation reaction<br>arded as being able to<br>ed exposure through ir<br>osed to it for long perio  | m).<br>e health effects involving or<br>n in some persons compare<br>cause cancer in humans b<br>nhalation, in contact with sk<br>ods. It can be assumed that   | gans or biochemical systems.<br>d to the general population.<br>ased on experiments and other<br>in and if swallowed.  |  |
| Chronic<br>Street Ice - Sharkskin Gray -   | Repeated or long-term occupational exposure is likely<br>Skin contact with the material is more likely to cause a<br>There is ample evidence that this material can be rega<br>information.<br>Toxic: danger of serious damage to health by prolonge<br>This material can cause serious damage if one is expo<br>produce severe defects.<br>TOXICITY<br>Not Available   | Iness (as with windbur<br>to produce cumulative<br>a sensitisation reaction<br>arded as being able to<br>ed exposure through ir<br>osed to it for long perio  | m).<br>e health effects involving or<br>n in some persons compare<br>cause cancer in humans b<br>nhalation, in contact with sk<br>ods. It can be assumed that<br>ITATION  | gans or biochemical systems.<br>d to the general population.<br>ased on experiments and other<br>in and if swallowed.<br>it contains a substance which can   |  |
| Chronic<br>Street Ice - Sharkskin Gray -   | Repeated or long-term occupational exposure is likely<br>Skin contact with the material is more likely to cause a<br>There is ample evidence that this material can be rega<br>information.<br>Toxic: danger of serious damage to health by prolonge<br>This material can cause serious damage if one is expo<br>produce severe defects.  | Iness (as with windbur<br>to produce cumulative<br>a sensitisation reaction<br>arded as being able to<br>ed exposure through ir<br>osed to it for long perio  | m).<br>e health effects involving or<br>n in some persons compare<br>cause cancer in humans b<br>nhalation, in contact with sk<br>ods. It can be assumed that<br>ITATION  | gans or biochemical systems.<br>d to the general population.<br>ased on experiments and other<br>in and if swallowed.  |  |
| Chronic<br>Street Ice - Sharkskin Gray -<br>60382                                | Repeated or long-term occupational exposure is likely<br>Skin contact with the material is more likely to cause a<br>There is ample evidence that this material can be rega<br>information.<br>Toxic: danger of serious damage to health by prolonge<br>This material can cause serious damage if one is expo<br>produce severe defects.<br>TOXICITY<br>Not Available   | Iness (as with windbur<br>to produce cumulative<br>a sensitisation reaction<br>arded as being able to<br>ed exposure through ir<br>osed to it for long perio  | m).<br>e health effects involving or<br>n in some persons compare<br>cause cancer in humans b<br>nhalation, in contact with sk<br>ods. It can be assumed that<br>ITATION  | gans or biochemical systems.<br>d to the general population.<br>ased on experiments and other<br>in and if swallowed.<br>it contains a substance which can   |  |
| Chronic<br>Street Ice - Sharkskin Gray -   | Repeated or long-term occupational exposure is likely<br>Skin contact with the material is more likely to cause a<br>There is ample evidence that this material can be rega<br>information.<br>Toxic: danger of serious damage to health by prolonge<br>This material can cause serious damage if one is expo<br>produce severe defects.<br>TOXICITY<br>Not Available<br>TOXICITY   | Iness (as with windbur<br>to produce cumulative<br>a sensitisation reaction<br>arded as being able to<br>ed exposure through ir<br>osed to it for long perio  | m).<br>e health effects involving or<br>n in some persons compare<br>cause cancer in humans b<br>nhalation, in contact with sk<br>ods. It can be assumed that<br>ITATION  | gans or biochemical systems.<br>d to the general population.<br>ased on experiments and other<br>in and if swallowed.<br>it contains a substance which can<br>IRRITATION   |  |
| Chronic<br>Street Ice - Sharkskin Gray -<br>60382                                | Repeated or long-term occupational exposure is likely         Skin contact with the material is more likely to cause a         There is ample evidence that this material can be regainformation.         Toxic: danger of serious damage to health by prolonge         This material can cause serious damage if one is exponential on the effects.         TOXICITY         Not Available         TOXICITY         Inhalation (Human)LCLo: 0.3 mg/m3/10Y <sup>[2]</sup>   | Iness (as with windbur<br>to produce cumulative<br>a sensitisation reaction<br>arded as being able to<br>ed exposure through ir<br>osed to it for long perio  | m).<br>e health effects involving or<br>n in some persons compare<br>cause cancer in humans b<br>nhalation, in contact with sk<br>ods. It can be assumed that<br>ITATION  | gans or biochemical systems.<br>d to the general population.<br>ased on experiments and other<br>in and if swallowed.<br>it contains a substance which can<br>IRRITATION   |  |
| Chronic<br>Street Ice - Sharkskin Gray -<br>60382                                | Repeated or long-term occupational exposure is likely         Skin contact with the material is more likely to cause a         There is ample evidence that this material can be regainformation.         Toxic: danger of serious damage to health by prolonge         This material can cause serious damage if one is exponent         produce severe defects.         TOXICITY         Not Available         Inhalation (Human)LCLo: 0.3 mg/m3/10Y <sup>[2]</sup> Inhalation (Human)TCLo: 16 mppcf*/8H/17.9Y <sup>[2]</sup>   | Iness (as with windbur<br>to produce cumulative<br>a sensitisation reaction<br>arded as being able to<br>ed exposure through ir<br>osed to it for long perio  | m).<br>e health effects involving or<br>n in some persons compare<br>cause cancer in humans b<br>nhalation, in contact with sk<br>bds. It can be assumed that<br>ITATION<br>Available   | gans or biochemical systems.<br>d to the general population.<br>ased on experiments and other<br>in and if swallowed.<br>it contains a substance which can<br>IRRITATION   |  |
| Chronic<br>Street Ice - Sharkskin Gray -<br>60382                                | Repeated or long-term occupational exposure is likely         Skin contact with the material is more likely to cause a         There is ample evidence that this material can be regainformation.         Toxic: danger of serious damage to health by prolonge         There is ample evidence that this material can be regainformation.         Toxic: danger of serious damage to health by prolonge         This material can cause serious damage if one is exponentiated by produce severe defects.         TOXICITY         Not Available         TOXICITY         Inhalation (Human)LCLo: 0.3 mg/m3/10Y <sup>[2]</sup> Inhalation (Human)TCLo: 16 mppcf*/8H/17.9Y <sup>[2]</sup> Inhalation (Rat)TCLo: 50 mg/m3/6H/71W <sup>[2]</sup>  | Iness (as with windbur<br>to produce cumulative<br>a sensitisation reaction<br>arded as being able to<br>ed exposure through ir<br>posed to it for long perior<br>IRRI<br>Not   | m).<br>e health effects involving or<br>n in some persons compare<br>cause cancer in humans b<br>nhalation, in contact with sk<br>ods. It can be assumed that<br>ITATION<br>Available   | gans or biochemical systems. d to the general population. ased on experiments and other in and if swallowed. it contains a substance which can  IRRITATION Not Available   |  |
| Chronic<br>Street Ice - Sharkskin Gray -<br>60382                                | Repeated or long-term occupational exposure is likely         Skin contact with the material is more likely to cause a         There is ample evidence that this material can be regainformation.         Toxic: danger of serious damage to health by prolonge         This material can cause serious damage if one is exponent         produce severe defects. <b>TOXICITY</b> Not Available <b>TOXICITY</b> Inhalation (Human)LCLo: 0.3 mg/m3/10Y <sup>[2]</sup> Inhalation (Human)TCLo: 16 mppcf*/8H/17.9Y <sup>[2]</sup> Inhalation (Rat)TCLo: 50 mg/m3/6H/71W <sup>[2]</sup> <b>TOXICITY</b> dermal (hamster) LD50: >=10000 mg/kg <sup>[2]</sup>   | Iness (as with windbur<br>to produce cumulative<br>a sensitisation reaction<br>arded as being able to<br>ed exposure through ir<br>posed to it for long period<br>Not a<br>IRRI<br>Not a<br>Eye: no a                 | m).<br>e health effects involving or<br>n in some persons compare<br>cause cancer in humans b<br>nhalation, in contact with sk<br>bds. It can be assumed that<br>ITATION<br>Available<br>ION<br>adverse effect observed (no                                 | gans or biochemical systems.<br>d to the general population.<br>ased on experiments and other<br>in and if swallowed.<br>it contains a substance which can<br>in and if swallowed.<br>it contains a substance which can<br>in and if swallowed.<br>it contains a substance which can<br>in and if swallowed.<br>it contains a substance which can<br>it contains a substance which can be a substance which can<br>it contains a substance which can be a substanc       |  |
| Chronic<br>Street Ice - Sharkskin Gray -<br>60382<br>silica crystalline - quartz | Repeated or long-term occupational exposure is likely         Skin contact with the material is more likely to cause a         There is ample evidence that this material can be regainformation.         Toxic: danger of serious damage to health by prolonge         This material can cause serious damage if one is exponentiation.         Toxic: danger of serious damage to health by prolonge         This material can cause serious damage if one is exponentiated in the series of the seri | Iness (as with windbur<br>to produce cumulative<br>a sensitisation reaction<br>arded as being able to<br>ed exposure through ir<br>posed to it for long perior<br>IRRI<br>Not a<br>IRRITATI<br>Eye: no a<br>Skin (Hur | m).<br>e health effects involving or<br>n in some persons compare<br>cause cancer in humans b<br>hhalation, in contact with sk<br>bds. It can be assumed that<br>ITATION<br>Available<br>ION<br>adverse effect observed (nor<br>man): 300ug/3D (intermitted | gans or biochemical systems.<br>d to the general population.<br>ased on experiments and other<br>in and if swallowed.<br>it contains a substance which can<br>in and if swallowed.<br>it contains a substance which can<br>in and if swallowed.<br>it contains a substance which can<br>in and if swallowed.<br>it contains a substance which can<br>it c |  |
| Chronic<br>Street Ice - Sharkskin Gray -<br>60382<br>silica crystalline - quartz | Repeated or long-term occupational exposure is likely         Skin contact with the material is more likely to cause a         There is ample evidence that this material can be regainformation.         Toxic: danger of serious damage to health by prolonge         This material can cause serious damage if one is exponent         produce severe defects. <b>TOXICITY</b> Not Available <b>TOXICITY</b> Inhalation (Human)LCLo: 0.3 mg/m3/10Y <sup>[2]</sup> Inhalation (Human)TCLo: 16 mppcf*/8H/17.9Y <sup>[2]</sup> Inhalation (Rat)TCLo: 50 mg/m3/6H/71W <sup>[2]</sup> <b>TOXICITY</b> dermal (hamster) LD50: >=10000 mg/kg <sup>[2]</sup>   | Iness (as with windbur<br>to produce cumulative<br>a sensitisation reaction<br>arded as being able to<br>ed exposure through ir<br>posed to it for long perior<br>IRRI<br>Not a<br>IRRITATI<br>Eye: no a<br>Skin (Hur | m).<br>e health effects involving or<br>n in some persons compare<br>cause cancer in humans b<br>nhalation, in contact with sk<br>bds. It can be assumed that<br>ITATION<br>Available<br>ION<br>adverse effect observed (no                                 | gans or biochemical systems.<br>d to the general population.<br>ased on experiments and other<br>in and if swallowed.<br>it contains a substance which can<br>IRRITATION<br>Not Available<br>st irritating) <sup>[1]</sup>   |  |
| Chronic<br>Street Ice - Sharkskin Gray -<br>60382<br>silica crystalline - quartz | Repeated or long-term occupational exposure is likely         Skin contact with the material is more likely to cause a         There is ample evidence that this material can be regainformation.         Toxic: danger of serious damage to health by prolonge         This material can cause serious damage if one is exponentiation.         Toxic: danger of serious damage to health by prolonge         This material can cause serious damage if one is exponentiated in the series of the seri | Iness (as with windbur<br>to produce cumulative<br>a sensitisation reaction<br>arded as being able to<br>ed exposure through ir<br>posed to it for long perior<br>IRRI<br>Not a<br>IRRITATI<br>Eye: no a<br>Skin (Hur | m). e health effects involving or i n some persons compare cause cancer in humans b halation, in contact with sk bds. It can be assumed that ITATION Available ION adverse effect observed (no man): 300ug/3D (intermitter adverse effect observed (no      | gans or biochemical systems.<br>d to the general population.<br>ased on experiments and other<br>in and if swallowed.<br>it contains a substance which can<br>IRRITATION<br>Not Available<br>st irritating) <sup>[1]</sup>   |  |

|   | Dermal (rabbit) LD50: 9530 mg/kg <sup>[2]</sup>   | Eye (Rodent - rabb  | oit): 0.012ppm/3D   |
|---|---|---|---|
|   | Inhalation (Human) TCLo: 10000 mg/m3 <sup>[2]</sup>   | Eye (Rodent - rabb  | bit): 100mg/1H - Mild   |
|   | Inhalation (Rat) LC50: 50100 mg/m3/8 hr <sup>[2]</sup>  | Eye (Rodent - rabb  | bit): 1440mg/6H - Moderate  |
|   | Oral (child) TDLo: 5500 mg/kg <sup>[2]</sup>  | Eye (Rodent - rabb  | bit): 500mg/24H - Mild  |
|   | Oral (Human)LDLo: 398 mg/kg <sup>[2]</sup>  | Eye (Rodent - rat):   | 0.012%/3D   |
|   | Oral (Rat) LD50: 4700 mg/kg <sup>[2]</sup>  | Eye: no adverse el  | fect observed (not irritating) <sup>[1]</sup>   |
|   |   | Skin (Rodent - rab  | bit): 555mg - Mild  |
|   |   | Skin: no adverse e  | ffect observed (not irritating) <sup>[1]</sup>  |
| Legend:   | 1. Value obtained from Europe ECHA Registered S<br>specified data extracted from RTECS - Register of  |   | obtained from manufacturer's SDS. Unless otherwis<br>s  |
|   |   |   |   |
| Street Ice - Sharkskin Gray -<br>60382  | The following information refers to contact allergen<br>Contact allergies quickly manifest themselves as c  |   | •   |
|   | Contact allergies quickly manifest themselves as c<br>WARNING: For inhalation exposure <u>ONLY</u> : This su  | ontact eczema, more rarely as urtic<br>ubstance has been classified by the<br>(IARC) has classified occupational e<br>is based on what IARC considered  | aria or Quincke's oedema.<br>IARC as Group 1: CARCINOGENIC TO HUMANS<br>exposures to <b>respirable</b> (<5 um) crystalline silica as  |
| 60382   | Contact allergies quickly manifest themselves as c<br>WARNING: For inhalation exposure <u>ONLY</u> : This su<br>The International Agency for Research on Cancer<br>being carcinogenic to humans . This classification<br>humans for the carcinogenicity of inhaled silica in t<br>[Estimated Lethal Dose (human) 100 ml; RTECS of<br>cells.<br>For ethylene glycol:   | ontact eczema, more rarely as urtic<br>abstance has been classified by the<br>(IARC) has classified occupational e<br>is based on what IARC considered<br>he forms of quartz and cristobalite.<br>uoted by Orica] Substance is repro-   | aria or Quincke's oedema.<br>IARC as Group 1: <b>CARCINOGENIC TO HUMANS</b><br>exposures to <b>respirable</b> (<5 um) crystalline silica as<br>sufficient evidence from epidemiological studies of<br>ductive effector in rats (birth defects). Mutagenic to ra   |
| 60382<br>silica crystalline - quartz  | Contact allergies quickly manifest themselves as c<br>WARNING: For inhalation exposure <u>ONLY</u> : This su<br>The International Agency for Research on Cancer<br>being carcinogenic to humans . This classification<br>humans for the carcinogenicity of inhaled silica in t<br>[Estimated Lethal Dose (human) 100 ml; RTECS of<br>cells.<br>For ethylene glycol:<br>Ethylene glycol is quickly and extensively absorbed  | ontact eczema, more rarely as urtic<br>abstance has been classified by the<br>(IARC) has classified occupational e<br>is based on what IARC considered<br>he forms of quartz and cristobalite.<br>uoted by Orica] Substance is repro-   | aria or Quincke's oedema.<br>IARC as Group 1: CARCINOGENIC TO HUMANS<br>exposures to <b>respirable</b> (<5 um) crystalline silica as<br>sufficient evidence from epidemiological studies of<br>ductive effector in rats (birth defects). Mutagenic to ra  |
| 60382<br>silica crystalline - quartz<br>ethylene glycol   | Contact allergies quickly manifest themselves as c<br>WARNING: For inhalation exposure <u>ONLY</u> : This su<br>The International Agency for Research on Cancer<br>being carcinogenic to humans . This classification<br>humans for the carcinogenicity of inhaled silica in t<br>[Estimated Lethal Dose (human) 100 ml; RTECS of<br>cells.<br>For ethylene glycol:<br>Ethylene glycol is quickly and extensively absorbed<br>through the airways; absorption through skin is app | ontact eczema, more rarely as urtic<br>abstance has been classified by the<br>(IARC) has classified occupational et<br>is based on what IARC considered a<br>he forms of quartz and cristobalite.<br>uoted by Orica] Substance is repro-<br>d throughout the gastrointestinal tra-<br>barently slow.                                    | aria or Quincke's oedema.<br>IARC as Group 1: CARCINOGENIC TO HUMANS<br>exposures to <b>respirable</b> (<5 um) crystalline silica as<br>sufficient evidence from epidemiological studies of<br>ductive effector in rats (birth defects). Mutagenic to ra  |
| 60382<br>silica crystalline - quartz<br>ethylene glycol<br>Acute Toxicity   | Contact allergies quickly manifest themselves as c<br>WARNING: For inhalation exposure <u>ONLY</u> : This su<br>The International Agency for Research on Cancer<br>being carcinogenic to humans . This classification<br>humans for the carcinogenicity of inhaled silica in t<br>[Estimated Lethal Dose (human) 100 ml; RTECS of<br>cells.<br>For ethylene glycol:<br>Ethylene glycol is quickly and extensively absorbed<br>through the airways; absorption through skin is app | ontact eczema, more rarely as urtic<br>abstance has been classified by the<br>(IARC) has classified occupational e<br>is based on what IARC considered<br>he forms of quartz and cristobalite.<br>uoted by Orica] Substance is repro-<br>d throughout the gastrointestinal tra-<br>barently slow.<br>Carcinogenicity                    | aria or Quincke's oedema.<br>IARC as Group 1: CARCINOGENIC TO HUMANS<br>exposures to respirable (<5 um) crystalline silica as<br>sufficient evidence from epidemiological studies of<br>ductive effector in rats (birth defects). Mutagenic to ra   |
| 60382<br>silica crystalline - quartz<br>ethylene glycol<br>Acute Toxicity<br>Skin Irritation/Corrosion<br>Serious Eye | Contact allergies quickly manifest themselves as c<br>WARNING: For inhalation exposure <u>ONLY</u> : This su<br>The International Agency for Research on Cancer<br>being carcinogenic to humans . This classification<br>humans for the carcinogenicity of inhaled silica in t<br>[Estimated Lethal Dose (human) 100 ml; RTECS of<br>cells.<br>For ethylene glycol:<br>Ethylene glycol is quickly and extensively absorbed<br>through the airways; absorption through skin is app | ontact eczema, more rarely as urtico<br>abstance has been classified by the<br>(IARC) has classified occupational e<br>is based on what IARC considered<br>he forms of quartz and cristobalite.<br>uoted by Orica] Substance is repro-<br>d throughout the gastrointestinal tra-<br>barently slow.<br>Carcinogenicity<br>Reproductivity | aria or Quincke's oedema.<br>IARC as Group 1: CARCINOGENIC TO HUMANS<br>exposures to respirable (<5 um) crystalline silica as<br>sufficient evidence from epidemiological studies of<br>ductive effector in rats (birth defects). Mutagenic to ra<br>ct. Limited information suggests that it is also absorbed<br>X |

## **SECTION 12 Ecological information**

| Street Ice - Sharkskin Gray - | Endpoint         | Test Duration (hr)            | s               | pecies                        | Value       | :             | Source             |
|-------------------------------|------------------|-------------------------------|-----------------|-------------------------------|-------------|---------------|--------------------|
| 60382                         | Not Available    | Not Available                 | N               | ot Available                  | Not Availat | le l          | Not Available      |
|                               | Endpoint         | Test Duration (hr)            | S               | pecies                        | Value       | :             | Source             |
| silica crystalline - quartz   | Not Available    | Not Available                 | N               | ot Available                  | Not Availat | le            | Not Available      |
|                               | Endpoint         | Test Duration (hr)            | Species         |                               |             | Value         | Source             |
|                               | BCF              | 1008h                         | Fish            |                               |             | <1.1-9.6      | 7                  |
|                               | EC50             | 48h                           | Crustace        | a                             |             | 1.9mg/l       | 2                  |
| Titanium Dioxide Ti02         | EC50             | 72h                           | Algae or        | Algae or other aquatic plants |             | 3.75-7.58mg/  | 4                  |
|                               | EC50             | 96h                           | Algae or        | Algae or other aquatic plants |             | 179.05mg/l    | 2                  |
|                               | NOEC(ECx)        | 672h                          | Fish            | Fish                          |             | >=0.004mg/L   | 2                  |
|                               | LC50             | 96h                           | Fish            |                               |             | 1.85-3.06mg/  | 4                  |
|                               | Endpoint         | Test Duration (hr)            | Species         |                               | \           | alue          | Source             |
|                               | EC50             | 48h                           | Crustacea       |                               | >           | 100mg/l       | 2                  |
| ethylene glycol               | EC50(ECx)        | Not Available                 | Algae or ot     | ner aquatic plants            | 6           | 500-7500mg/l  | 1                  |
|                               | EC50             | 96h                           | Algae or ot     | ner aquatic plants            | 6           | 500-13000mg/l | 1                  |
|                               | LC50             | 96h                           | Fish            |                               | 8           | 050mg/L       | 4                  |
| Legend:                       | Extracted from 1 | IUCLID Toxicity Data 2. Europ | no FOUA Degiate | rad Substansas                |             | formation Ag  | atio Tovisity 4 11 |

DO NOT discharge into sewer or waterways.

## Persistence and degradability

| Ingredient            | Persistence: Water/Soil | Persistence: Air |
|-----------------------|-------------------------|------------------|
| Titanium Dioxide Ti02 | HIGH                    | HIGH             |

| Ingredient                | Persistence: Water/Soil   | Persistence: Air            |
|---------------------------|---------------------------|-----------------------------|
| ethylene glycol           | LOW (Half-life = 24 days) | LOW (Half-life = 3.46 days) |
| Bioaccumulative potential |                           |                             |
| Ingredient                | Bioaccumulation           |                             |
| Titanium Dioxide Ti02     | LOW (BCF = 10)            |                             |
| ethylene glycol           | LOW (BCF = 200)           |                             |
| Mobility in soil          |                           |                             |
| Ingredient                | Mobility                  |                             |
| Titanium Dioxide Ti02     | LOW (Log KOC = 23.74)     |                             |
| ethylene glycol           | HIGH (Log KOC = 1)        |                             |

#### Other adverse effects

No evidence of ozone depleting properties were found in the current literature.

## **SECTION 13 Disposal considerations**

| Waste treatment methods      |  |
|------------------------------|--|
| Product / Packaging disposal | <ul> <li>Containers may still present a chemical hazard/ danger when empty.</li> <li>Return to supplier for reuse/ recycling if possible.</li> <li>Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area.</li> <li>DO NOT allow wash water from cleaning or process equipment to enter drains.</li> <li>It may be necessary to collect all wash water for treatment before disposal.</li> <li>Recycle wherever possible or consult manufacturer for recycling options.</li> <li>Consult State Land Waste Management Authority for disposal.</li> </ul> |

#### **SECTION 14 Transport information**

# Labels Required Marine Pollutant NO

Land transport (DOT): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.7. Maritime transport in bulk according to IMO instruments

14.7.1. Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

## 14.7.2. Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

| Product name                | Group         |
|-----------------------------|---------------|
| silica crystalline - quartz | Not Available |
| Titanium Dioxide Ti02       | Not Available |
| ethylene glycol             | Not Available |

#### 14.7.3. Transport in bulk in accordance with the IGC Code

| Product name                | Ship Type     |
|-----------------------------|---------------|
| silica crystalline - quartz | Not Available |
| Titanium Dioxide Ti02       | Not Available |
| ethylene glycol             | Not Available |

#### **SECTION 15 Regulatory information**

#### Safety, health and environmental regulations / legislation specific for the substance or mixture

silica crystalline - quartz is found on the following regulatory lists

Chemical Footprint Project - Chemicals of High Concern List

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs - Group 1: Carcinogenic to humans

- US California Proposition 65 Carcinogens
- US California Safe Drinking Water and Toxic Enforcement Act of 1986 Proposition 65 List

US - Massachusetts - Right To Know Listed Chemicals

US - New Jersey Right to Know - Special Health Hazard Substance List (SHHSL): Carcinogens

US - New Jersey Right to Know Hazardous Substances

US - Pennsylvania - Hazardous Substance List

US DOE Temporary Emergency Exposure Limits (TEELs)

US National Toxicology Program (NTP) 15th Report Part A Known to be Human Carcinogens

| US NIOSH Recommended Exposure Limits (RELs)   |  |
|---|--|
| US OSHA Carcinogens Listing   |  |
| US OSHA Permissible Exposure Limits (PELs) Table Z-1  |  |
| US OSHA Permissible Exposure Limits (PELs) Table Z-3  |  |
| US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory   |  |
|   |  |
| Titanium Dioxide Ti02 is found on the following regulatory lists  |  |
| Chemical Footprint Project - Chemicals of High Concern List   |  |
| International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs   |  |
| International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs - Group 2B: Possibly carcinogenic to humans |  |
| International WHO List of Proposed Occupational Exposure Limit (OEL) Values for Manufactured Nanomaterials (MNMS)                         |  |
| US - Alaska Air Quality Control - Concentrations Triggering an Air Quality Episode for Air Pollutants Other Than PM-2.5                   |  |
| US - California Proposition 65 - Carcinogens  |  |
| US - California Safe Drinking Water and Toxic Enforcement Act of 1986 - Proposition 65 List   |  |
| US - Massachusetts - Right To Know Listed Chemicals   |  |
| US - New Jersey Right to Know Hazardous Substances  |  |
| US - Pennsylvania - Hazardous Substance List  |  |
| US DOE Temporary Emergency Exposure Limits (TEELs)  |  |
| US New York City Community Right-to-Know: List of Hazardous Substances  |  |
| US NIOSH Recommended Exposure Limits (RELs)   |  |
| US OSHA Permissible Exposure Limits (PELs) Table Z-1  |  |
| US OSHA Permissible Exposure Limits (PELs) Table Z-3  |  |
| US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory   |  |
| ethylene glycol is found on the following regulatory lists  |  |
| Chemical Footprint Project - Chemicals of High Concern List   |  |
| US - California Hazardous Air Pollutants Identified as Toxic Air Contaminants   |  |
| US - California Proposition 65 - Maximum Allowable Dose Levels (MADLs) for Chemicals Causing Reproductive Toxicity                        |  |
| US - California Proposition 65 - Reproductive Toxicity  |  |
| US - California Safe Drinking Water and Toxic Enforcement Act of 1986 - Proposition 65 List   |  |
| US - Massachusetts - Right To Know Listed Chemicals   |  |
| US - New Jersey Right to Know Hazardous Substances  |  |
| US - Pennsylvania - Hazardous Substance List  |  |
| US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs)  |  |
| US Clean Air Act - Hazardous Air Pollutants   |  |
| US DOE Temporary Emergency Exposure Limits (TEELs)  |  |
| US EPA Integrated Risk Information System (IRIS)  |  |
| US EPCRA Section 313 Chemical List  |  |
| US New York City Community Right-to-Know: List of Hazardous Substances  |  |
| US NIOSH Recommended Exposure Limits (RELs)   |  |
| US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory   |  |

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

## Additional Regulatory Information

Not Applicable

## Federal Regulations

## Superfund Amendments and Reauthorization Act of 1986 (SARA)

# Section 311/312 hazard categories

| Flammable (Gases, Aerosols, Liquids, or Solids)              | No  |
|--|-----|
| Gas under pressure   | No  |
| Explosive  | No  |
| Self-heating   | No  |
| Pyrophoric (Liquid or Solid)                                 | No  |
| Pyrophoric Gas   | No  |
| Corrosive to metal   | No  |
| Oxidizer (Liquid, Solid or Gas)                              | No  |
| Organic Peroxide   | No  |
| Self-reactive  | No  |
| In contact with water emits flammable gas                    | No  |
| Combustible Dust   | No  |
| Carcinogenicity  | Yes |
| Acute toxicity (any route of exposure)                       | No  |
| Reproductive toxicity  | No  |
| Skin Corrosion or Irritation                                 | No  |
| Respiratory or Skin Sensitization                            | No  |
| Serious eye damage or eye irritation                         | No  |
| Specific target organ toxicity (single or repeated exposure) | Yes |
| Aspiration Hazard  | No  |
| Germ cell mutagenicity                                       | No  |
| Simple Asphyxiant  | No  |
| Hazards Not Otherwise Classified                             | No  |

US. EPA CERCLA Hazardous Substances and Reportable Quantities (40 CFR 302.4)

| Name  | Reportable Quantity in Pounds (Ib) | Reportable Quantity in kg |
|---|------------------------------------|---------------------------|
| ethylene glycol   | 5000                               | 2270                      |
| US EPCRA Section 313 Toxic Release Inventory (TRI) (40 CER 372) |                                    |                           |

## US. EPCRA Section 313 Toxic Release Inventory (TRI) (40 CFR 372)

This product contains the following EPCRA section 313 chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know-Act of 1986 (40 CFR 372):

| CAS No   | %[weight] | Name            |
|--|-----------|-----------------|
| 107-21-1   | 1-5       | ethylene glycol |
| This information must be included in all SDSs that are copied and distributed for this material. |           |                 |

## Additional Federal Regulatory Information

Not Applicable

State Regulations

#### US. California Proposition 65

MARNING: This product can expose you to chemicals including silica crystalline - quartz, Titanium Dioxide Ti02, which are known to the State of California to cause cancer, and ethylene glycol, which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov

#### Additional State Regulatory Information

Not Applicable

#### **National Inventory Status**

| National Inventory                                  | Status  |
|---|---|
| Australia - AIIC / Australia Non-<br>Industrial Use | Yes   |
| Canada - DSL  | Yes   |
| Canada - NDSL                                       | No (silica crystalline - quartz; Titanium Dioxide Ti02; ethylene glycol)  |
| China - IECSC                                       | Yes   |
| Europe - EINEC / ELINCS /<br>NLP                    | Yes   |
| Japan - ENCS  | Yes   |
| Korea - KECI  | Yes   |
| New Zealand - NZIoC                                 | Yes   |
| Philippines - PICCS                                 | Yes   |
| USA - TSCA  | All chemical substances in this product have been designated as TSCA Inventory 'Active'   |
| Taiwan - TCSI                                       | Yes   |
| Mexico - INSQ                                       | Yes   |
| Vietnam - NCI                                       | Yes   |
| Russia - FBEPH                                      | Yes   |
| Legend:   | Yes = All CAS declared ingredients are on the inventory<br>No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration. |

#### **SECTION 16 Other information**

| Revision Date | 06/03/2025 |
|---------------|------------|
| Initial Date  | 06/04/2025 |
|               |            |

## CONTACT POINT

\*\*PLEASE NOTE THAT TITANIUM DIOXIDE IS NOT PRESENT IN CLEAR OR NEUTRAL BASES\*\*

## Other information

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings.

## Definitions and abbreviations

- PC TWA: Permissible Concentration-Time Weighted Average
- PC STEL: Permissible Concentration-Short Term Exposure Limit
- IARC: International Agency for Research on Cancer ACGIH: American Conference of Governmental Industrial Hygienists
- STEL: Short Term Exposure Limit
- TEEL: Temporary Emergency Exposure Limit.
- IDLH: Immediately Dangerous to Life or Health Concentrations
- ES: Exposure Standard
- OSF: Odour Safety Factor
- NOAEL: No Observed Adverse Effect Level
- LOAEL: Lowest Observed Adverse Effect Level TLV: Threshold Limit Value
- LOD: Limit Of Detection
- OTV: Odour Threshold Value
- BCF: BioConcentration Factors
- BEI: Biological Exposure Index
- DNEL: Derived No-Effect Level
- PNEC: Predicted no-effect concentration
- MARPOL: International Convention for the Prevention of Pollution from Ships
- IMSBC: International Maritime Solid Bulk Cargoes Code
- IGC: International Gas Carrier Code

- IBC: International Bulk Chemical Code
- AIIC: Australian Inventory of Industrial Chemicals
- DSL: Domestic Substances List
- NDSL: Non-Domestic Substances List
- IECSC: Inventory of Existing Chemical Substance in China
   EINECS: European INventory of Existing Commercial chemical Substances
   ELINCS: European List of Notified Chemical Substances
- NLP: No-Longer Polymers
- ENCS: Existing and New Chemical Substances Inventory
- KECI: Korea Existing Chemicals Inventory
  NZIoC: New Zealand Inventory of Chemicals
  PICCS: Philippine Inventory of Chemicals and Chemical Substances
- TSCA: Toxic Substances Control Act
- TCSI: Taiwan Chemical Substance Inventory
- INSQ: Inventario Nacional de Sustancias Químicas
- NCI: National Chemical Inventory
   FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

Powered by AuthorITe, from Chemwatch.