

# Street Ice - Sprint Green 60385

# **ICP Construction Inc**

Version No: 3.3

Safety Data Sheet according to OSHA HazCom Standard (2024) requirements

Issue Date: **06/02/2025** Revision Date: **06/06/2025** Print Date: **06/06/2025** 

S.GHS.USA.EN

### **SECTION 1 Identification**

### **Product Identifier**

Product name	Street Ice - Sprint Green 60385
Synonyms	Not Available
Other means of identification	Not Available

## Recommended use of the chemical and restrictions on use

Relevant identified uses Sports Surface

### Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Registered company name	ICP Construction Inc
Address	150 Dascomb Road Andover MA 01810 United States
Telephone	1-866-667-5119 1-978-623-9987
Fax	Not Available
Website	www.icpgroup.com
Email	sds@icpgroup.com

### **Emergency phone number**

Association / Organisation	ChemTel
Emergency telephone number(s)	1-800-255-3924
Other emergency telephone number(s)	1-813-248-0585

## SECTION 2 Hazard(s) identification

# Classification of the substance or mixture

# NFPA 704 diamond



Note: The hazard category numbers found in GHS classification in section 2 of this SDSs are NOT to be used to fill in the NFPA 704 diamond. Blue = Health Red = Fire Yellow = Reactivity White = Special (Oxidizer or water reactive substances)

Classification

Carcinogenicity Category 1B, Specific Target Organ Toxicity - Repeated Exposure Category 1

### Label elements

Hazard pictogram(s)



Signal word

Danger

### Hazard statement(s)

H350	May cause cancer.
H372	Causes damage to organs through prolonged or repeated exposure.

## Hazard(s) not otherwise classified

Not Applicable

Version No: 3.3 Page 2 of 9

### Street Ice - Sprint Green 60385

Issue Date: **06/02/2025** Revision Date: **06/06/2025** 

Print Date: 06/06/2025

Precautionary statement(s) General

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.

### Precautionary statement(s) Prevention

P201	Obtain special instructions before use.
P260	Do not breathe mist/vapours/spray.
P280	Wear protective gloves and protective clothing.
P270	Do not eat, drink or smoke when using this product.
P202	Do not handle until all safety precautions have been read and understood.
P264	Wash all exposed external body areas thoroughly after handling.

### Precautionary statement(s) Response

P308+P313	IF exposed or concerned: Get medical advice/ attention.
P314	Get medical advice/attention if you feel unwell.

### Precautionary statement(s) Storage

P405 Store locked up.

### Precautionary statement(s) Disposal

Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

### **SECTION 3 Composition / information on ingredients**

### Substances

See section below for composition of Mixtures

### **Mixtures**

CAS No	%[weight]	Name
14808-60-7	3-7	silica crystalline - quartz
107-21-1	1-5	ethylene glycol

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

### **SECTION 4 First-aid measures**

### Description of first aid measures

Eye Contact	If this product comes in contact with eyes:  Wash out immediately with water.  If irritation continues, seek medical attention.  Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin contact occurs:  Immediately remove all contaminated clothing, including footwear.  Flush skin and hair with running water (and soap if available).  Seek medical attention in event of irritation.
Inhalation	<ul> <li>If fumes, aerosols or combustion products are inhaled remove from contaminated area.</li> <li>Other measures are usually unnecessary.</li> </ul>
Ingestion	<ul> <li>Immediately give a glass of water.</li> <li>First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.</li> </ul>

# Most important symptoms and effects, both acute and delayed

See Section 1

# Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5 Fire-fighting measures**

# Extinguishing media

- ▶ Foam
- ► Dry chemical powder.

# Special hazards arising from the substrate or mixture

Fire Incompatibility None known.

# Special protective equipment and precautions for fire-fighters

•		·
	Fire Fighting	<ul> <li>Alert Fire Brigade and tell them location and nature of hazard.</li> <li>Wear full body protective clothing with breathing apparatus.</li> </ul>
	Fire/Explosion Hazard	Combustible.

Version No: 3.3 Page 3 of 9

### Street Ice - Sprint Green 60385

Issue Date: **06/02/2025** Revision Date: **06/06/2025** 

Print Date: **06/06/2025** 

May emit poisonous fumes. May emit corrosive fumes.

### **SECTION 6 Accidental release measures**

### Personal precautions, protective equipment and emergency procedures

See section 8

### **Environmental precautions**

See section 12

## Methods and material for containment and cleaning up

Minor Spills	<ul><li>Remove all ignition sources.</li><li>Clean up all spills immediately.</li></ul>
	Clear area of personnel and move upwind.

Alert Fire Brigade and tell them location and nature of hazard.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

# **SECTION 7 Handling and storage**

# Precautions for safe handling

Safe handling	<ul> <li>Avoid all personal contact, including inhalation.</li> <li>Wear protective clothing when risk of exposure occurs.</li> <li>DO NOT allow clothing wet with material to stay in contact with skin</li> </ul>
Other information	Store in original containers. Keep containers securely sealed.

# Conditions for safe storage, including any incompatibilities

Suitable container	Metal can or drum     Packaging as recommended by manufacturer.
	Check all containers are clearly labelled and free from leaks.

Storage incompatibility

None known















X — Must not be stored together

May be stored together with specific preventions

May be stored together

Note: Depending on other risk factors, compatibility assessment based on the table above may not be relevant to storage situations, particularly where large volumes of dangerous goods are stored and handled. Reference should be made to the Safety Data Sheets for each substance or article and risks assessed accordingly.

### SECTION 8 Exposure controls / personal protection

### Control parameters

# Occupational Exposure Limits (OEL)

### INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
US OSHA Permissible Exposure Limits (PELs) Table Z-1	silica crystalline - quartz	Quartz - respirable	0.05 mg/m3	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Limits (PELs) Table Z-3	silica crystalline - quartz	Silica: Crystalline: Quartz (Respirable)	10 (%SiO2+2) mg/m3 / 250 (%SiO2+5) mppcf	Not Available	Not Available	Not Available
US NIOSH Recommended Exposure Limits (RELs)	silica crystalline - quartz	Silica, crystalline (as respirable dust)	0.05 mg/m3	Not Available	Not Available	Ca; See Appendix A
US NIOSH Recommended Exposure Limits (RELs)	ethylene glycol	Ethylene glycol	Not Available	Not Available	Not Available	See Appendix D

# Emergency Limits

Ingredient	TEEL-1	TEEL-2	TEEL-3
silica crystalline - quartz	0.075 mg/m3	33 mg/m3	200 mg/m3
ethylene glycol	30 ppm	150 ppm	900 ppm

Ingredient	Original IDLH	Revised IDLH
silica crystalline - quartz	25 mg/m3 / 50 mg/m3	Not Available
ethylene glycol	Not Available	Not Available

# **Exposure controls**

Appropriate engineering	
controls	

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.

Version No: 3.3 Page 4 of 9

### Street Ice - Sprint Green 60385

Issue Date: 06/02/2025 Revision Date: 06/06/2025 Print Date: 06/06/2025

Individual protection measures, such as personal protective equipment Safety glasses with side shields Eye and face protection Chemical goggles Skin protection See Hand protection below ▶ Wear chemical protective gloves, e.g. PVC. Wear safety footwear or safety gumboots, e.g. Rubber NOTE: ▶ The material may produce skin sensitisation in predisposed individuals. Care must be taken, when removing gloves and other protective Hands/feet protection equipment, to avoid all possible skin contact. The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. **Body protection** See Other protection below Employees working with confirmed human carcinogens should be provided with, and be required to wear, clean, full body protective 6529:2006 or national equivalent]

- clothing (smocks, coveralls, or long-sleeved shirt and pants), shoe covers and gloves prior to entering the regulated area. [AS/NZS ISO
- Employees engaged in handling operations involving carcinogens should be provided with, and required to wear and use half-face filtertype respirators with filters for dusts, mists and fumes, or air purifying canisters or cartridges.
- Other protection Prior to each exit from an area containing confirmed human carcinogens, employees should be required to remove and leave protective clothing and equipment at the point of exit and at the last exit of the day, to place used clothing and equipment in impervious containers at the point of exit for purposes of decontamination or disposal. The contents of such impervious containers must be identified with
  - suitable labels. Overalls.
  - P.V.C apron.

### Respiratory protection

Type ABK-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

# **SECTION 9 Physical and chemical properties**

### Information on basic physical and chemical properties Appearance Not Available Physical state Liauid Relative density (Water = 1) Not Available Partition coefficient n-octanol Odour Not Available Not Available / water Auto-ignition temperature Odour threshold Not Available Not Available (°C) Decomposition pH (as supplied) Not Available Not Available temperature (°C) Melting point / freezing point Not Available Not Available Viscosity (cSt) Initial boiling point and Not Available Molecular weight (g/mol) Not Available boiling range (°C) Flash point (°C) >130 Taste Not Available **Evaporation rate** Not Available **Explosive properties** Not Available Flammability Not Applicable Oxidising properties Not Available Surface Tension (dyn/cm or Upper Explosive Limit (%) Not Available Not Available mN/m) Lower Explosive Limit (%) Not Available Volatile Component (%vol) Not Available Vapour pressure (kPa) Not Available Not Available Gas group Solubility in water Immiscible Not Available pH as a solution (1%) Vapour density (Air = 1) Not Available VOC g/L 129 Heat of Combustion (kJ/g) Not Available Ignition Distance (cm) Not Available Flame Height (cm) Not Available Flame Duration (s) Not Available **Enclosed Space Ignition Enclosed Space Ignition** Not Available Not Available Time Equivalent (s/m3) Deflagration Density (g/m3) **Nanoform Particle** Nanoform Solubility Not Available Not Available Characteristics

# **SECTION 10 Stability and reactivity**

**Particle Size** 

Not Available

Reactivity	See section 7
Chemical stability	<ul> <li>Unstable in the presence of incompatible materials.</li> <li>Product is considered stable.</li> </ul>
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7

Version No: 3.3 Page 5 of 9

Street Ice - Sprint Green 60385

Issue Date: **06/02/2025** Revision Date: **06/06/2025** 

Print Date: 06/06/2025

Hazardous decomposition products

See section 5

# SECTION 11 Toxicological information

Name Transcript	SECTION 11 Toxicological in	Tormation			
Description of the classification deters are not met.    Bested on available data, the classification deters are not met.	Information on toxicological ef	fects			
Chronic Serious Eye  Damagerination  (a) Respiratory or Stain  Sensitivation  (b) Respiratory or Stain  Dased on available date, the classification orders are not met.  Dased on available date, the classification orders are not met.  (c) Chronicgenicity  (d) Chronicgenicity  (e) Respiratory or Stain  Bessed on available date, the classification orders are not met.  Bessed on available date, the classification orders are not met.  Brown on available date, the classification orders are not met.  Brown on available date, the classification orders are not met.  Brown on available date, the classification orders are not met.  The relateral is not mount to classify the material as toxic to specific regions through repeated exposure.  Desert of available date, the classification orders are not met.  Bessed on available date, the classification orders are not met.  The relateral is not mount to classification orders are not met.  Bessed on available date, the classification orders are not met.  The relateral is not thought to produce advances beam directed or intestion of the respiratory tract (as dessified by EC Directives using armal moders), become for specific regions through orders are not met.  Ingestion  Ingestion  The material is not mount to classification orders are not met.  Stain Center  Stain Center  Stain Center  Stain Center  Stain Center  Chronic Stain Center and the Activity of the bear through the classification or absorbing to the process of the bear of control and through the classification or absorbing to the control or or absorbing to the cont	a) Acute Toxicity	Based on available data, the classification criteria are not met.			
Demogrativation of State Service 1 (1985) and the Control of State Service 1 (1985) and the Control of State Service 1 (1985) and the State Service 1 (1985	b) Skin Irritation/Corrosion	Based on available data, the classification criteria are not met.	Based on available data, the classification criteria are not met.		
envisitation  a) Mutagenicity  7 Carcinopenicity  17 Carcinopenicity  18 Proporticity  19 STOT - Single Exposure  10 STOT - Single Exposure  11 STOT - Single Exposure  12 STOT - Single Exposure  13 STOT - Single Exposure  14 There is sufficient predefers to classify this material as state to specific organs through repeated exposure  15 Institute of the single Exposure  16 Institute of the single Exposure  17 The material is not thought to predate advantage and conception of the single and the single exposure of		Based on available data, the classification criteria are not met.			
(a) Repreductivity (b) STOT - Repeated Exposure  (c) STOT - STO	,	Based on available data, the classification criteria are not met.			
(g) Reproductivity (h) STOT - Regular Exposure (ii) STOT - Regular Exposure (iii) Aspiration Hazard (iii) Aspiration Hazard (iiii) There is sufficient exidentine to chaosily this material as train for the regular to specific organs through repeated exposure (iii) Aspiration Hazard (iiii) There is sufficient exidentine to chaosily this material as train for the aspiratory tract (as classified by EC Directives are not material as the subject to produce adverse peated the appears be kept to a minimum and that suitable control resources to use of material and through to produce adverse peated the appears be kept to a minimum and that suitable control resources be used in an occasion. The material as not hought to have be material as special to appear the special or all suitable control resources be used in an occasion. The material as NOT been classified by EC Directives or other classification systems as tharmful by ingestion. This is because of the lack of control representations are included in the special control of th	e) Mutagenicity	Based on available data, the classification criteria are not met.			
Distrot - Single Exposure   Bissed on available data, the classification criteria are not met.	f) Carcinogenicity	There is sufficient evidence to classify this material as carcinoger	ic		
Stort - Repeated Exposure   There is sufficient evidence to classify this material as tools to specific organs through repeated exposure	g) Reproductivity	Based on available data, the classification criteria are not met.			
Dispersion Hazard   Based on available data, the classification criteria are not met.	h) STOT - Single Exposure	Based on available data, the classification criteria are not met.			
The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupied to a productive service.  In material has NOT been classified by EC Directives or other classification systems as "harmful by ingostion." This is because of the lack of controbusing animal and inhuman evidence.  Sain contract is not thought to be any the harmful health effects (as classified under EC Directives); the material may still produce health damage. The same evidence is suggest that the inhuman tender. The produce is a support to the productive of the control of the material and require is some evidence in suggest that the material can cause inflammation of the skin on control in same persons. Open cuts, shareded or intributed shi should not be exposed to this material.  Eye  Subject to be used of the material and ensure that any external changes is estimately produce yestermic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external changes is estimately controlled. The control with the material can cause the strong of the strong that is contained to the strong tender of discontinor distractives by tender to the other products (as with windown).  Chronic  Chronic  Chronic  Chronic  Street ice - Sprint Green  TOXICTY  Intelligency of the control of the strong tender of the contained and ensure effects.  TOXICTY  Intelligency of the control of the strong tender of the strong	i) STOT - Repeated Exposure	There is sufficient evidence to classify this material as toxic to sp	ecific organs through repeated exposure		
Ingestion Ingest	j) Aspiration Hazard	Based on available data, the classification criteria are not met.			
Skin Contact  Sk	Inhaled	models). Nevertheless, good hygiene practice requires that expo		•	
Tollowing entry through wounds, leations or abrasians.	Ingestion		lassification systems as 'harmful by inges	tion'. This is because of the lack	
disconfront characterised by tearing or conjunctival redness (as with windburn).  Shin contact with the material is more likely for cause a sensitisation reaction in some persons compared to the general population. There is ample evidence that this material can be regarded as being able to cause cancer in humans based on experiments and other information.  Toxic danger of serious damage to health by prolonged exposure through inhalation, in contact with skin and if swallowed. This material can cause serious damage if one is exposed to it for long periods. It can be assumed that it contains a substance which can produce severe defects.  Street Ice - Sprint Green 60385  TOXICITY IRRITATION  Not Available Not Available Not Available  TOXICITY IRRITATION  Inhalation (Human) TCL0: 0.3 mg/m3/10Y <sup>[2]</sup> Not Available  TOXICITY IRRITATION  Inhalation (Human) TCL0: 16 mppet/18H/17.3Y <sup>[2]</sup> Inhalation (Ral) CL0: 50 mg/m3/6H/11W <sup>[2]</sup> Eye (Rodent - rabbit): 0.012ppm/3D  Permal (rabbit) LD50: 9530 mg/kg <sup>[2]</sup> Eye (Rodent - rabbit): 0.012ppm/3D  Inhalation (Ral) LC50: 5000 mg/m3/8 hr <sup>[2]</sup> Eye (Rodent - rabbit): 1440mg/6H - Moderate  Oral (child) TDL0: 5500 mg/kg <sup>[2]</sup> Eye (Rodent - rabbit): 500mg/2H - Mild  Oral (Human) LD0: 398 mg/kg <sup>[2]</sup> Eye (Rodent - rabbit): 500mg/2H - Mild  Skin: no adverse effect observed (not irritating) <sup>[1]</sup> Skin: no adverse effect observed (not irritating) <sup>[1]</sup> Skin: no adverse effect observed (not irritating) <sup>[1]</sup> The following information refers to contact allergens as a group and may not be specific to this product.  Contact allergies quickly manifest themselves as contact access, more rarely as unicaria or Quincke's oederna.  WARNING: For inhalation exposure QNLY: This substance has been classified by the IARC as Group 1: CARCINOGENIC TO HUMANS  The International Agency for Research on Cancer (IARC) has classified occupational exposures to reparable (c6 um) crystalline silica as being carcinogenic to humans. This classification to cancer (IARC) has classified occupational exposures to reparable	Skin Contact	following entry through wounds, lesions or abrasions.  There is some evidence to suggest that this material can cause in Open cuts, abraded or irritated skin should not be exposed to this Entry into the blood-stream, through, for example, cuts, abrasions	offlammation of the skin on contact in some material s or lesions, may produce systemic injury	e persons.	
There is ample evidence that this material can be regarded as being able to cause cancer in humans based on experiments and other information.  Toxic: danger of serious damage if one is exposed to it for long periods. It can be assumed that it contains a substance which can produce severe defects.  Street ice - Sprint Green 60385  TOXICITY IRRITATION  Not Available  TOXICITY IRRITATION  Not Available  TOXICITY Inhalation (Human).Cl.c. 0.3 mg/m3/10Y <sup>[2]</sup> Not Available  TOXICITY Inhalation (Human).TCl.c. 16 mppcf*/8H/17.9Y <sup>[2]</sup> Inhalation (Human).TCl.c. 16 mppcf*/8H/17.9Y <sup>[2]</sup> Eye (Rodent - rabbit): 0.012ppm/3D  Inhalation (Human).TCl.c. 10000 mg/m3 <sup>[2]</sup> Eye (Rodent - rabbit): 100mg/1H - Mild Inhalation (Human).TCl.c. 10000 mg/m3 <sup>[2]</sup> Eye (Rodent - rabbit): 100mg/1H - Mild Inhalation (Human).TCl.c. 10000 mg/m3 <sup>[2]</sup> Eye (Rodent - rabbit): 550mg/24H - Mild Oral (Human).Dcl.c. 398 mg/kg <sup>[2]</sup> Eye (Rodent - rabbit): 550mg/24H - Mild Skin: no adverse effect observed (not irritating) <sup>[1]</sup> Legend: 1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2. Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances  Street ice - Sprint Green (0385)  The following information refers to contact allergens as a group and may not be specific to this product.  Contact allergies quickly manifest themselves as contact eczema, more rarely as urticaria or Quincke's oedema.  WARNING: For inhalation exposure QNILY: This substance has been classified by the IARC as Group 1: CARCINOGENIC TO HUMANS The international Agency for Research on Cancer (IARC) has classified doccupational exposures for respirabile (-5 un) crystalline silica as being carcinogenic to humans. This classification is based on what IARC considered sufficient evidence from epidemiological studies of the product and contact affecting to the sufficient evidence from epidemiological studies of the product of the product affection of the product of the product of the prod	Eye			e may produce transient	
Not Available   Not Available   Not Available	Chronic	There is ample evidence that this material can be regarded as being able to cause cancer in humans based on experiments and other information.  Toxic: danger of serious damage to health by prolonged exposure through inhalation, in contact with skin and if swallowed.  This material can cause serious damage if one is exposed to it for long periods. It can be assumed that it contains a substance which can			
Not Available   Not Available   Not Available					
TOXICITY  Inhalation (Human)LCLo: 0.3 mg/m3/10Y <sup>[2]</sup> Inhalation (Human)TCLo: 16 mppct/8H/17.9Y <sup>[2]</sup> Inhalation (Rat)TCLo: 50 mg/m3/6H/71W <sup>[2]</sup> TOXICITY  Inhalation (Rat)TCLo: 50 mg/m3/6H/71W <sup>[2]</sup> TOXICITY  Dermal (rabbit) LD50: 9530 mg/kg <sup>[2]</sup> Inhalation (Human) TCLo: 10000 mg/m3/8  Eye (Rodent - rabbit): 0.012ppm/3D  Inhalation (Human) TCLo: 10000 mg/m3/8  Inhalation (Human) TCLo: 10000 mg/m3/8  Eye (Rodent - rabbit): 100mg/1H - Mild  Inhalation (Rat) LC50: 50100 mg/m3/8 hr <sup>[2]</sup> Eye (Rodent - rabbit): 1440mg/6H - Moderate  Oral (child) TDLo: 5500 mg/kg <sup>[2]</sup> Eye (Rodent - rab): 1.012%/3D  Oral (Rat) LD50: 4700 mg/kg <sup>[2]</sup> Eye: no adverse effect observed (not irritating) <sup>[1]</sup> Skin (Rodent - rabbit): 555mg - Mild  Skin: no adverse effect observed (not irritating) <sup>[1]</sup> **Legend:**  1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2. Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances  **Street Ice - Sprint Green 60385*  The following information refers to contact allergens as a group and may not be specific to this product. Contact allergies quickly manifest themselves as contact eczema, more rarely as urticaria or Quincke's oedema.  WARNING: For inhalation exposure QNLY: This substance has been classified occupational exposures to respirable (<5 um) crystalline silica as being carcinogenic to humans. This dassification is based on what IARC considered sufficient evidence for engledeniological studies of themseless are supplementational Agency for Research on Cancer (IARC) has classified occupational exposures to respirable (<5 um) crystalline silica as being carcinogenic to humans. This dassification is based on what IARC considered sufficient evidence from epidemiological studies of themseless and the proper forms and the proper forms and the proper forms are defined evidence from epidemiological studies of the proper forms.					
inhalation (Human)LCLo: 0.3 mg/m3/10Y <sup>[2]</sup> Not Available    Inhalation (Human)TCLo: 16 mppcf*/8H/17.9Y <sup>[2]</sup>     Inhalation (Rat)TCLo: 50 mg/m3/6H/71W <sup>[2]</sup>     Inhalation (Rat)TCLo: 50 mg/m3/6H/71W <sup>[2]</sup>     Inhalation (Rat)TCLo: 50 mg/m3/6H/71W <sup>[2]</sup>     Eye (Rodent - rabbit): 0.012ppm/3D     Inhalation (Human) TCLo: 10000 mg/m3 <sup>[2]</sup>     Eye (Rodent - rabbit): 100mg/H - Midd     Inhalation (Rat) LC50: 50100 mg/m3/8 ht <sup>[2]</sup>     Eye (Rodent - rabbit): 500mg/H - Moderate     Oral (child) TDLo: 5500 mg/kg <sup>[2]</sup>     Eye (Rodent - rabbit): 500mg/2H - Midd     Oral (Human)LDLo: 398 mg/kg <sup>[2]</sup>     Eye (Rodent - rabbit): 500mg/2H - Midd     Oral (Human)LDLo: 398 mg/kg <sup>[2]</sup>     Eye: no adverse effect observed (not irritating) <sup>[1]</sup>     Skin (Rodent - rabbit): 555mg - Mild     Skin: no adverse effect observed (not irritating) <sup>[1]</sup>     Skin: no adverse effect observed (	00303	Not Available	Not Available		
Dermal (rabbit) LD50: 9530 mg/kg <sup>[2]</sup> Eye (Rodent - rabbit): 0.012ppm/3D  Inhalation (Human) TCLo: 10000 mg/m3 <sup>[2]</sup> Eye (Rodent - rabbit): 100mg/1H - Mild  Inhalation (Rat) LC50: 50100 mg/m3/8 hr <sup>[2]</sup> Eye (Rodent - rabbit): 1440mg/6H - Moderate  Oral (child) TDLo: 5500 mg/kg <sup>[2]</sup> Eye (Rodent - rabbit): 500mg/24H - Mild  Oral (Human)LDLo: 398 mg/kg <sup>[2]</sup> Eye (Rodent - rat): 0.012%/3D  Oral (Rat) LD50: 4700 mg/kg <sup>[2]</sup> Eye: no adverse effect observed (not irritating) <sup>[1]</sup> Skin (Rodent - rabbit): 555mg - Mild  Skin: no adverse effect observed (not irritating) <sup>[1]</sup> Legend:  1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2. Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances  Street Ice - Sprint Green 60385  The following information refers to contact allergens as a group and may not be specific to this product. Contact allergies quickly manifest themselves as contact eczema, more rarely as urticaria or Quincke's oedema.  WARNING: For inhalation exposure ONLY: This substance has been classified by the IARC as Group 1: CARCINOGENIC TO HUMANS  The International Agency for Research on Cancer (IARC) has classified occupational exposures to respirable (<5 um) crystalline silica as being carcinogenic to humans. This classification is based on what IARC considered sufficient evidence from epidemiological studies of	silica crystalline - quartz	Inhalation (Human)LCLo: 0.3 mg/m3/10Y <sup>[2]</sup> Inhalation (Human)TCLo: 16 mppcf*/8H/17.9Y <sup>[2]</sup>			
Dermal (rabbit) LD50: 9530 mg/kg <sup>[2]</sup> Eye (Rodent - rabbit): 0.012ppm/3D  Inhalation (Human) TCLo: 10000 mg/m3 <sup>[2]</sup> Eye (Rodent - rabbit): 100mg/1H - Mild  Inhalation (Rat) LC50: 50100 mg/m3/8 hr <sup>[2]</sup> Eye (Rodent - rabbit): 1440mg/6H - Moderate  Oral (child) TDLo: 5500 mg/kg <sup>[2]</sup> Eye (Rodent - rabbit): 500mg/24H - Mild  Oral (Human)LDLo: 398 mg/kg <sup>[2]</sup> Eye (Rodent - rat): 0.012%/3D  Oral (Rat) LD50: 4700 mg/kg <sup>[2]</sup> Eye: no adverse effect observed (not irritating) <sup>[1]</sup> Skin (Rodent - rabbit): 555mg - Mild  Skin: no adverse effect observed (not irritating) <sup>[1]</sup> Legend:  1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2. Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances  Street Ice - Sprint Green 60385  The following information refers to contact allergens as a group and may not be specific to this product. Contact allergies quickly manifest themselves as contact eczema, more rarely as urticaria or Quincke's oedema.  WARNING: For inhalation exposure ONLY: This substance has been classified by the IARC as Group 1: CARCINOGENIC TO HUMANS  The International Agency for Research on Cancer (IARC) has classified occupational exposures to respirable (<5 um) crystalline silica as being carcinogenic to humans . This classification is based on what IARC considered sufficient evidence from epidemiological studies of					
Inhalation (Human) TCLo: 10000 mg/m3 <sup>[2]</sup> Eye (Rodent - rabbit): 100mg/1H - Mild  Inhalation (Rat) LC50: 50100 mg/m3/8 hr <sup>[2]</sup> Eye (Rodent - rabbit): 1440mg/6H - Moderate  Oral (child) TDLo: 5500 mg/kg <sup>[2]</sup> Eye (Rodent - rabbit): 500mg/24H - Mild  Oral (Human)LDLo: 398 mg/kg <sup>[2]</sup> Eye: (Rodent - rat): 0.012%/3D  Oral (Rat) LD50: 4700 mg/kg <sup>[2]</sup> Eye: no adverse effect observed (not irritating) <sup>[1]</sup> Skin (Rodent - rabbit): 555mg - Mild  Skin: no adverse effect observed (not irritating) <sup>[1]</sup> Legend:  1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2. Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances  Street Ice - Sprint Green 60385  The following information refers to contact allergens as a group and may not be specific to this product. Contact allergies quickly manifest themselves as contact eczema, more rarely as urticaria or Quincke's oedema.  WARNING: For inhalation exposure QNLY: This substance has been classified by the IARC as Group 1: CARCINOGENIC TO HUMANS The International Agency for Research on Cancer (IARC) has classified occupational exposures to respirable (<5 um) crystalline silica as being carcinogenic to humans . This classification is based on what IARC considered sufficient evidence from epidemiological studies of		TOXICITY	IRRITATION		
Inhalation (Human) TCLo: 10000 mg/m3 <sup>[2]</sup> Eye (Rodent - rabbit): 100mg/1H - Mild  Inhalation (Rat) LC50: 50100 mg/m3/8 hr <sup>[2]</sup> Eye (Rodent - rabbit): 1440mg/6H - Moderate  Oral (child) TDLo: 5500 mg/kg <sup>[2]</sup> Eye (Rodent - rabbit): 500mg/24H - Mild  Oral (Human)LDLo: 398 mg/kg <sup>[2]</sup> Eye (Rodent - rat): 0.012%/3D  Oral (Rat) LD50: 4700 mg/kg <sup>[2]</sup> Eye: no adverse effect observed (not irritating) <sup>[1]</sup> Skin (Rodent - rabbit): 555mg - Mild  Skin: no adverse effect observed (not irritating) <sup>[1]</sup> Legend:  1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2. Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances  Street Ice - Sprint Green 60385  The following information refers to contact allergens as a group and may not be specific to this product. Contact allergies quickly manifest themselves as contact eczema, more rarely as urticaria or Quincke's oedema.  WARNING: For inhalation exposure QNLY: This substance has been classified by the IARC as Group 1: CARCINOGENIC TO HUMANS The International Agency for Research on Cancer (IARC) has classified occupational exposures to respirable (<5 um) crystalline silica as being carcinogenic to humans . This classification is based on what IARC considered sufficient evidence from epidemiological studies of		Dermal (rabbit) LD50: 9530 mg/kg <sup>[2]</sup>	Eye (Rodent - rabbit): 0.012ppm/3D		
Inhalation (Rat) LC50: 50100 mg/m3/8 hr <sup>[2]</sup> Eye (Rodent - rabbit): 1440mg/6H - Moderate  Oral (child) TDLo: 5500 mg/kg <sup>[2]</sup> Eye (Rodent - rabbit): 500mg/24H - Mild  Oral (Human)LDLo: 398 mg/kg <sup>[2]</sup> Eye (Rodent - rat): 0.012%/3D  Oral (Rat) LD50: 4700 mg/kg <sup>[2]</sup> Eye: no adverse effect observed (not irritating) <sup>[1]</sup> Skin (Rodent - rabbit): 555mg - Mild  Skin: no adverse effect observed (not irritating) <sup>[1]</sup> Legend:  1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2. Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances  Street Ice - Sprint Green 60385  The following information refers to contact allergens as a group and may not be specific to this product. Contact allergies quickly manifest themselves as contact eczema, more rarely as urticaria or Quincke's oedema.  WARNING: For inhalation exposure ONLY: This substance has been classified by the IARC as Group 1: CARCINOGENIC TO HUMANS  The International Agency for Research on Cancer (IARC) has classified occupational exposures to respirable (<5 um) crystalline silica as being carcinogenic to humans. This classification is based on what IARC considered sufficient evidence from epidemiological studies of			Eye (Rodent - rabbit): 100mg/1H - Mild		
ethylene glycol  Oral (child) TDLo: 5500 mg/kg <sup>[2]</sup> Eye (Rodent - rabbit): 500mg/24H - Mild  Oral (Human)LDLo: 398 mg/kg <sup>[2]</sup> Eye (Rodent - rat): 0.012%/3D  Oral (Rat) LD50: 4700 mg/kg <sup>[2]</sup> Eye: no adverse effect observed (not irritating) <sup>[1]</sup> Skin (Rodent - rabbit): 555mg - Mild  Skin: no adverse effect observed (not irritating) <sup>[1]</sup> Legend:  1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2. Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances  Street Ice - Sprint Green 60385  The following information refers to contact allergens as a group and may not be specific to this product. Contact allergies quickly manifest themselves as contact eczema, more rarely as urticaria or Quincke's oedema.  WARNING: For inhalation exposure ONLY: This substance has been classified by the IARC as Group 1: CARCINOGENIC TO HUMANS  The International Agency for Research on Cancer (IARC) has classified occupational exposures to respirable (<5 um) crystalline silica as being carcinogenic to humans . This classification is based on what IARC considered sufficient evidence from epidemiological studies of			Eve (Rodent - rabbit): 1440mg/6H - Mo	derate	
Oral (Human)LDLo: 398 mg/kg <sup>[2]</sup> Dral (Rat) LD50: 4700 mg/kg <sup>[2]</sup> Eye: no adverse effect observed (not irritating) <sup>[1]</sup> Skin (Rodent - rabbit): 555mg - Mild  Skin: no adverse effect observed (not irritating) <sup>[1]</sup> 1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2. Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances  Street Ice - Sprint Green 60385  The following information refers to contact allergens as a group and may not be specific to this product. Contact allergies quickly manifest themselves as contact eczema, more rarely as urticaria or Quincke's oedema.  WARNING: For inhalation exposure ONLY: This substance has been classified by the IARC as Group 1: CARCINOGENIC TO HUMANS  The International Agency for Research on Cancer (IARC) has classified occupational exposures to respirable (<5 um) crystalline silica as being carcinogenic to humans. This classification is based on what IARC considered sufficient evidence from epidemiological studies of	ethylene alycol				
Oral (Rat) LD50: 4700 mg/kg <sup>[2]</sup> Eye: no adverse effect observed (not irritating) <sup>[1]</sup> Skin (Rodent - rabbit): 555mg - Mild  Skin: no adverse effect observed (not irritating) <sup>[1]</sup> 1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2. Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances  Street Ice - Sprint Green 60385  The following information refers to contact allergens as a group and may not be specific to this product. Contact allergies quickly manifest themselves as contact eczema, more rarely as urticaria or Quincke's oedema.  WARNING: For inhalation exposure ONLY: This substance has been classified by the IARC as Group 1: CARCINOGENIC TO HUMANS The International Agency for Research on Cancer (IARC) has classified occupational exposures to respirable (<5 um) crystalline silica as being carcinogenic to humans. This classification is based on what IARC considered sufficient evidence from epidemiological studies of	carylone grycor			-	
Skin (Rodent - rabbit): 555mg - Mild  Skin: no adverse effect observed (not irritating) <sup>[1]</sup> 1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2. Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances  Street Ice - Sprint Green 60385  The following information refers to contact allergens as a group and may not be specific to this product. Contact allergies quickly manifest themselves as contact eczema, more rarely as urticaria or Quincke's oedema.  WARNING: For inhalation exposure ONLY: This substance has been classified by the IARC as Group 1: CARCINOGENIC TO HUMANS The International Agency for Research on Cancer (IARC) has classified occupational exposures to respirable (<5 um) crystalline silica as being carcinogenic to humans. This classification is based on what IARC considered sufficient evidence from epidemiological studies of			, , , ,	[4]	
Skin: no adverse effect observed (not irritating) <sup>[1]</sup> Legend:  1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2. Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances  Street Ice - Sprint Green 60385  The following information refers to contact allergens as a group and may not be specific to this product. Contact allergies quickly manifest themselves as contact eczema, more rarely as urticaria or Quincke's oedema.  WARNING: For inhalation exposure ONLY: This substance has been classified by the IARC as Group 1: CARCINOGENIC TO HUMANS  The International Agency for Research on Cancer (IARC) has classified occupational exposures to respirable (<5 um) crystalline silica as being carcinogenic to humans. This classification is based on what IARC considered sufficient evidence from epidemiological studies of		Oral (Rat) LD50: 4700 mg/kg <sup>12</sup>	<u> </u>	ritating) <sup>[1]</sup>	
Legend:  1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2. Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances  Street Ice - Sprint Green 60385  The following information refers to contact allergens as a group and may not be specific to this product. Contact allergies quickly manifest themselves as contact eczema, more rarely as urticaria or Quincke's oedema.  WARNING: For inhalation exposure ONLY: This substance has been classified by the IARC as Group 1: CARCINOGENIC TO HUMANS  The International Agency for Research on Cancer (IARC) has classified occupational exposures to respirable (<5 um) crystalline silica as being carcinogenic to humans. This classification is based on what IARC considered sufficient evidence from epidemiological studies of				[1]	
Street Ice - Sprint Green 60385  The following information refers to contact allergens as a group and may not be specific to this product. Contact allergies quickly manifest themselves as contact eczema, more rarely as urticaria or Quincke's oedema.  WARNING: For inhalation exposure ONLY: This substance has been classified by the IARC as Group 1: CARCINOGENIC TO HUMANS  The International Agency for Research on Cancer (IARC) has classified occupational exposures to respirable (<5 um) crystalline silica as being carcinogenic to humans. This classification is based on what IARC considered sufficient evidence from epidemiological studies of			Skin: no adverse effect observed (not in	ritating) <sup>[1]</sup>	
60385 Contact allergies quickly manifest themselves as contact eczema, more rarely as urticaria or Quincke's oedema.  WARNING: For inhalation exposure ONLY: This substance has been classified by the IARC as Group 1: CARCINOGENIC TO HUMANS  silica crystalline - quartz  The International Agency for Research on Cancer (IARC) has classified occupational exposures to respirable (<5 um) crystalline silica as being carcinogenic to humans. This classification is based on what IARC considered sufficient evidence from epidemiological studies of	Legend:			facturer's SDS. Unless otherwise	
warning: For inhalation exposure ONLY: This substance has been classified by the IARC as Group 1: CARCINOGENIC TO HUMANS  silica crystalline - quartz  The International Agency for Research on Cancer (IARC) has classified occupational exposures to respirable (<5 um) crystalline silica as being carcinogenic to humans. This classification is based on what IARC considered sufficient evidence from epidemiological studies of	·			lema.	
being carcinogenic to humans . This classification is based on what IARC considered sufficient evidence from epidemiological studies of					
		WARNING: For inhalation exposure ONLY: This substance has be	een classified by the IARC as Group 1: C	ARCINOGENIC TO HUMANS	

Version No: 3.3 Page 6 of 9

### Street Ice - Sprint Green 60385

Issue Date: 06/02/2025 Revision Date: 06/06/2025

Print Date: 06/06/2025

ethylene glycol	cells. For ethylene glycol:	d throughout the gastrointestinal trac	uctive effector in rats (birth defects). Mutagenic to rat t. Limited information suggests that it is also absorbed
Acute Toxicity	×	Carcinogenicity	✓
Skin Irritation/Corrosion	×	Reproductivity	×
Serious Eye Damage/Irritation	×	STOT - Single Exposure	×
Respiratory or Skin sensitisation	×	STOT - Repeated Exposure	<b>~</b>
Mutagenicity	×	Aspiration Hazard	×

Legend:

X − Data either not available or does not fill the criteria for classification
 ✓ − Data available to make classification

- Data available to make classification

# **SECTION 12 Ecological information**

### **Toxicity**

Street Ice - Sprint Green	Endpoint	Test Duration (hr)		Species	Value		Source	
60385	Not Available	Not Available		Not Available	Not Avai	lable	Not Availa	able
	Endpoint	Test Duration (hr)		Species	Value		Source	
silica crystalline - quartz	Not Available	Not Available		Not Available	Not Avai	lable	Not Availa	able
	Endpoint	Test Duration (hr)	Species	3		Value		Source
	EC50	48h	Crustac	ea		>100mg/l		2
ethylene glycol	EC50(ECx)	Not Available	Algae o	r other aquatic plants		6500-7500mg	ı/I	1
	EC50	96h	Algae o	r other aquatic plants		6500-13000m	ıg/l	1
								T

Legend:

Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data

# DO NOT discharge into sewer or waterways.

### Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
ethylene glycol	LOW (Half-life = 24 days)	LOW (Half-life = 3.46 days)

# Bioaccumulative potential

Ingredient	Bioaccumulation
ethylene glycol	LOW (BCF = 200)

# Mobility in soil

Ingredient	Mobility
ethylene glycol	HIGH (Log KOC = 1)

# Other adverse effects

No evidence of ozone depleting properties were found in the current literature.

### **SECTION 13 Disposal considerations**

# Waste treatment methods

- ▶ Containers may still present a chemical hazard/ danger when empty.
- ▶ Return to supplier for reuse/ recycling if possible.

# Product / Packaging disposal

Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area.

# ▶ DO NOT allow wash water from cleaning or process equipment to enter drains.

- It may be necessary to collect all wash water for treatment before disposal.
- Recycle wherever possible or consult manufacturer for recycling options.
- Consult State Land Waste Management Authority for disposal.

### **SECTION 14 Transport information**

### **Labels Required**

NO		
N		

Version No: 3.3 Page 7 of 9

Street Ice - Sprint Green 60385

Issue Date: 06/02/2025 Revision Date: 06/06/2025

Print Date: 06/06/2025

Land transport (DOT): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

### 14.7. Maritime transport in bulk according to IMO instruments

### 14.7.1. Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

### 14.7.2. Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
silica crystalline - quartz	Not Available
ethylene glycol	Not Available

### 14.7.3. Transport in bulk in accordance with the IGC Code

Product name	Ship Type
silica crystalline - quartz	Not Available
ethylene glycol	Not Available

### **SECTION 15 Regulatory information**

### Safety, health and environmental regulations / legislation specific for the substance or mixture

# silica crystalline - quartz is found on the following regulatory lists

Chemical Footprint Project - Chemicals of High Concern List

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs - Group 1: Carcinogenic to humans

US - California Proposition 65 - Carcinogens

US - California Safe Drinking Water and Toxic Enforcement Act of 1986 - Proposition 65 List

US - Massachusetts - Right To Know Listed Chemicals

US - New Jersey Right to Know - Special Health Hazard Substance List (SHHSL): Carcinogens

US - New Jersey Right to Know Hazardous Substances

US - Pennsylvania - Hazardous Substance List

US DOE Temporary Emergency Exposure Limits (TEELs)

US National Toxicology Program (NTP) 15th Report Part A Known to be Human Carcinogens

US NIOSH Recommended Exposure Limits (RELs)

US OSHA Carcinogens Listing

US OSHA Permissible Exposure Limits (PELs) Table Z-1

US OSHA Permissible Exposure Limits (PELs) Table Z-3

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

# ethylene glycol is found on the following regulatory lists

Chemical Footprint Project - Chemicals of High Concern List

US - California Hazardous Air Pollutants Identified as Toxic Air Contaminants

US - California Proposition 65 - Maximum Allowable Dose Levels (MADLs) for Chemicals Causing Reproductive Toxicity

US - California Proposition 65 - Reproductive Toxicity

US - California Safe Drinking Water and Toxic Enforcement Act of 1986 - Proposition 65 List

US - Massachusetts - Right To Know Listed Chemicals

US - New Jersey Right to Know Hazardous Substances

US - Pennsylvania - Hazardous Substance List

US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs)

US Clean Air Act - Hazardous Air Pollutants

US DOE Temporary Emergency Exposure Limits (TEELs)

US EPA Integrated Risk Information System (IRIS)

US EPCRA Section 313 Chemical List

US New York City Community Right-to-Know: List of Hazardous Substances

US NIOSH Recommended Exposure Limits (RELs)

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

# **Additional Regulatory Information**

Not Applicable

### **Federal Regulations**

# Superfund Amendments and Reauthorization Act of 1986 (SARA)

# Section 311/312 hazard categories

Flammable (Gases, Aerosols, Liquids, or Solids)	No
Gas under pressure	No
Explosive	No
Self-heating	No
Pyrophoric (Liquid or Solid)	No
Pyrophoric Gas	No
Corrosive to metal	No
Oxidizer (Liquid, Solid or Gas)	No

Version No: 3.3 Page 8 of 9

### Street Ice - Sprint Green 60385

Issue Date: 06/02/2025 Revision Date: 06/06/2025 Print Date: 06/06/2025

Organic Peroxide	No
Self-reactive	No
In contact with water emits flammable gas	No
Combustible Dust	No
Carcinogenicity	Yes
Acute toxicity (any route of exposure)	No
Reproductive toxicity	No
Skin Corrosion or Irritation	No
Respiratory or Skin Sensitization	No
Serious eye damage or eye irritation	No
Specific target organ toxicity (single or repeated exposure)	Yes
Aspiration Hazard	No
Germ cell mutagenicity	No
Simple Asphyxiant	No
Hazards Not Otherwise Classified	No

## US. EPA CERCLA Hazardous Substances and Reportable Quantities (40 CFR 302.4)

Name	Reportable Quantity in Pounds (lb)	Reportable Quantity in kg
ethylene glycol	5000	2270

### US. EPCRA Section 313 Toxic Release Inventory (TRI) (40 CFR 372)

This product contains the following EPCRA section 313 chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know-Act of 1986 (40 CFR 372):

CAS No	%[weight]	Name
107-21-1	1-5	ethylene glycol
This information must be included in all SDSs that are copied and distributed for this material.		

# **Additional Federal Regulatory Information**

Not Applicable

## State Regulations

# US. California Proposition 65



MARNING: This product can expose you to chemicals including silica crystalline - quartz, which is known to the State of California to cause cancer, and ethylene glycol, which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to <a href="https://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>

# **Additional State Regulatory Information**

Not Applicable

# **National Inventory Status**

National Inventory	Status
Australia - AIIC / Australia Non- Industrial Use	Yes
Canada - DSL	Yes
Canada - NDSL	No (silica crystalline - quartz; ethylene glycol)
China - IECSC	Yes
Europe - EINEC / ELINCS / NLP	Yes
Japan - ENCS	Yes
Korea - KECI	Yes
New Zealand - NZIoC	Yes
Philippines - PICCS	Yes
USA - TSCA	All chemical substances in this product have been designated as TSCA Inventory 'Active'
Taiwan - TCSI	Yes
Mexico - INSQ	Yes
Vietnam - NCI	Yes
Russia - FBEPH	Yes
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.

### **SECTION 16 Other information**

Revision Date	06/06/2025
Initial Date	06/02/2025

### CONTACT POINT

\*\*PLEASE NOTE THAT TITANIUM DIOXIDE IS NOT PRESENT IN CLEAR OR NEUTRAL BASES\*\*

# **SDS Version Summary**

Version No: 3.3 Page 9 of 9

### Street Ice - Sprint Green 60385

Issue Date: 06/02/2025 Revision Date: 06/06/2025

Print Date: 06/06/2025

Version	Date of Update	Sections Updated
2.3	06/06/2025	Toxicological information - Acute Health (eye), Hazards identification - Classification, First Aid measures - First Aid (eye), Composition / information on ingredients - Ingredients, Name

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings.

### **Definitions and abbreviations**

- PC TWA: Permissible Concentration-Time Weighted Average
   PC STEL: Permissible Concentration-Short Term Exposure Limit
- ► IARC: International Agency for Research on Cancer
- ACGIH: American Conference of Governmental Industrial Hygienists
- ▶ STEL: Short Term Exposure Limit
- ► TEEL: Temporary Emergency Exposure Limit。
- ▶ IDLH: Immediately Dangerous to Life or Health Concentrations
- ES: Exposure Standard
- OSF: Odour Safety Factor
- NOAEL: No Observed Adverse Effect Level
- LOAEL: Lowest Observed Adverse Effect Level
- TLV: Threshold Limit Value
- LOD: Limit Of Detection
- OTV: Odour Threshold Value
- ▶ BCF: BioConcentration Factors
- ▶ BEI: Biological Exposure Index
- ▶ DNEL: Derived No-Effect Level
- ▶ PNEC: Predicted no-effect concentration
- ▶ MARPOL: International Convention for the Prevention of Pollution from Ships
- ► IMSBC: International Maritime Solid Bulk Cargoes Code
- IGC: International Gas Carrier Code
- ▶ IBC: International Bulk Chemical Code
- ▶ AIIC: Australian Inventory of Industrial Chemicals
- ▶ DSL: Domestic Substances List
- NDSL: Non-Domestic Substances List
- ▶ IECSC: Inventory of Existing Chemical Substance in China
- ▶ EINECS: European INventory of Existing Commercial chemical Substances
- ▶ ELINCS: European List of Notified Chemical Substances
- NLP: No-Longer Polymers
   ENCS: Existing and New Chemical Substances Inventory
- ► KECI: Korea Existing Chemicals Inventory
- ▶ NZIoC: New Zealand Inventory of Chemicals
- ▶ PICCS: Philippine Inventory of Chemicals and Chemical Substances
- TSCA: Toxic Substances Control Act
- ▶ TCSI: Taiwan Chemical Substance Inventory
- INSQ: Inventario Nacional de Sustancias Químicas
- NCI: National Chemical Inventory
- ▶ FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

Powered by AuthorITe, from Chemwatch.